JUSTRITE

CATALOG No. 589

SECOND EDITION

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

IMPORTANT

NEW PRICES, EFFECTIVE NOVEMBER 16, 1959 PLEASE USE NEW PRICE LIST ENCLOSED

CONTENTS

PAGE

- 2. HEAVY DUTY, HIGH POWER SEARCHLIGHTS
- 3. "YELLOW-FLASH"® 12 VOLT and 6 VOLT LANTERNS for GENERAL USE
- 4. "LIGHT-STICKS"® and LANTERNS for MAINTENANCE and PROTECTION
- 5. ELECTRIC HEADLIGHTS
- 6. INSPECTORS LIGHTS and LANTERNS
- 7. "TWIN-BULB"® RAILROAD LANTERNS
- 8. TABLE OF OPERATING INFORMATION for MINIATURE LAMPS and BATTERIES
- ACCESSORIES and PARTS for ELECTRIC LIGHTS and LANTERNS
- SAFETY HEADLIGHTS
 SPECIAL PURPOSE LIGHTS and LANTERNS
- 11. SAFETY LIGHTS and LANTERNS
- 12. OILY WASTE, PLUNGER and LAB. CANS IMPROVED BENCH and DRIP CANS
- 13. SAFETY CANS, TYPE I and TYPE II
- 14. CARBIDE HEAD LAMPS
- 15. CARBIDE CAP and HAND LAMPS

Our 53rd. Year
Established 1906

PENDRAGON JUSTRITE HIGH POWER SEARCHLIGHTS

THE LEADER OF THE LEADERS

give more light at less battery cost

List Price Each Model Number **SPECIFICATIONS** Less Batteries JUSTRITE "PENDRAGON"® LANTERNS Are smaller, give more light and cost less to operate than other comparable lanterns. Fit in box $5\frac{1}{2}$ " x 10" x 10". Headpiece mounted to turn up or down. Case holds three lantern bat-teries. Carrying Handle has a steel ring on front and one on back so a carrying strap can be easily attached. PENDRAGON "SEALED-BEAM" LANTERN 2401-4 With 1.25 Amp. Sealed Beam Lamp No. 4547. Use three 6 volt lantern batteries in parallel for 6 volt circuit. With double throw switch. One in shipping carton. Wt. 31/2 lbs..... \$21.95 2401-4 PENDRAGON, REFLECTOR LANTERN 2404-3 With 4½" precision designed vacuum metalized Reflector No. 20,628 with adjustable Lamp socket No. 20,631 for Candelabra D.C. Bayonet Base Lamp. With one 6 volt Lamp Bulb No. 1553 having two filaments, one for powerful beam and one for flood light. Use three lantern batteries in parallel for 6 volt circuit. With double throw switch. One in shipping carton. Wt. 31/4 lbs.... 20,159 Adjustable Shoulder Strap, 50 in., with clips \$1.40 PENDRAGON WITH OUTSIDE CONNECTION 2401-5 Pendragon Nos. 2401-4 and 2404-3 with 2404-5 plug in socket on side of case for an outside auxiliary 6 volt circuit for Marker Lights. One in shipping carton. Wt. 31/2 lbs..... \$24.95 2404-3 PENDRAGON "EMERGENCY" LANTERN For use in case of power failure. When case is plugged into a circuit lantern lights if circuit fails. Write for information. BRACKET TO HOLD "PENDRAGON" Adjustable Bracket mounted to revolve, to hold Nos. 2401 or 2404. 20.213 Lantern cannot be locked in bracket. One in shipping carton, weight 11/4 lbs..... \$4.80 20,214 Bracket designed to lock lantern. Padlock not furnished. One in shipping carton, weight 11/4 lbs..... 5.40 PENDRAGON STORAGE BATTERY LANTERN 2401-5 Pendragon Lantern No. 2404-3 with IN 6 volt 6 amp. hr. lead acid storage battery with trickle-charger, with BRACKET NO. 20,214 cord with plug; all mounted on a tray for easy inspection and servicing. Plug cord in any 110-120 volt A.C. circuit to recharge. With Double Filament (spot or flood) Lamp 2404-9 No. 1554 in Reflector No. 20,628 with socket No. 20,631 One in shipping carton. Wt. 6 lbs..... 20,023 "Non-Spill" lead-acid, 3 cell, Storage Battery, 6 volt 6 amp. hrs. Rechargeable..... JUSTRITE "INTERCEPTOR" LANTERNS Large Headpiece mounted to turn back or forward on battery case with "fold down" handles. Made of heavy gauge steel coated to resist rust and painted with long wearing "Catalyst" enamel. Insulation is treated to resist moisture and battery leakage. Switch on headpiece. Fits in space $4\frac{1}{2}$ " x $5\frac{1}{4}$ " x $6\frac{1}{2}$ ".

DESCRIPTION

JUSTRITE "PENDRAGON" LANTERNS ENTIRELY NEW, ENTIRELY DIFFERENT

An entirely new Portable Searchlight for industrial use. Smaller than
other searchlights of equal power.
Made of heavy gauge steel coated to
resist rust and painted with "lamp
silver" catalyst enamel. Battery Case
designed to hold three Lantern Batteries. Handle is mounted so searchlight carries easily regardless of the
number of batteries in case. Large
headpiece is mounted in Double
Bracket on battery case to turn
up or down. A Toggle Switch is conveniently located on the headpiece.
Headpiece will take either a Sealed
Beam Lamp or a 4½" Reflector.

With 41/2" precision designed vacuum metalized Reflector adjustable sockets can be furnished to hold a miniature screw or bayonet base lamp, or a candelabra screw or bayonet base lamp. For ordinary use, use Three 6 volt Lantern (dry) Batteries making contact on the 6 volt, parallel wired, Contact Insulator Plate. Two batteries can be used but will not last proportionately as long. One battery can be used but will last a short time only if drain is over .5 amp. For 12 volt circuit, Contact Insulator Plate can be furnished which has series wired contacts (on the back of the plate wired for 6 volts), and uses Two Lantern Batteries. A third battery can be carried as a spare or placed in the circuit to produce 18 volts, for special applications.

PENDRAGON STORAGE

BATTERY LANTERN

The Pendragon equipped with a storage battery and charger makes an ideal lantern. Not only is it cheaper to operate than the lantern equipped with dry cells but it gives more light. The battery can be recharged without removing it from the lantern by plugging cord attached to charger into any 110-120 volt "A-C" outlet.

LAMPS, ACCESSORIES AND PARTS, see Pages 8 & 9

	MINIATURE SCREW BASE LAMPS	
20,245	No. 502, .15 Amp. 6 Volts	\$0.17
20,248	No. 27, .30 Amp. 6 Volts	.17
20,251	No. 425, .50 Amp. 6 Volts	.17
	SEALED BEAM LAMPS	
20,254	No. 45465 Amp. 6 Volts	2.50
20,257	No. 4547. 1.25 A. 6 V	2.85
	DBL. FIL., 6 VOLT LAMPS	
00 000	1.0 amp. for dry batteries	1.25
20,263	0.7 amp. for storage batteries	
20,264	o. r amp. for storage batteries	1.25
	ACCESSORIES AND PARTS	
20.079	Insulator Plate for 2401, 2404	2.00
20,082	Case Cover for 2401, 2404	1.80
20,628	41/6" Reflector with Bushing	2.00
20,020	for Adj. Lamp Socket	2.40
20,631	Adjustable Socket for D. C.	2.10
20,001	Candl. Bay Base Lamp .	1.00
20,634	41/6" Reflector designed for	1.00
20,004	Miniature Lamp	2.20
		2.20
20,635	Cup with spring to hold pre-	0.0
The state of the s	focused Lamp in reflector	.20
20,638	Cup with socket to hold Min.	
	Sc. Base Lamp in refl	.20

JUSTRITE "INTERCEPTOR" LANTERNS Convenient and powerful hand lights. Large Headpiece will take Sealed Beam Lamp or a 4½" Reflector. Battery Case holds one 6 volt lantern battery. With 4½" precision designed vacuum metalized reflector uses prefocused lamp No. PR 13.

Use one 6 volt lantern battery.

2411-6 With 4½" precision designed, vacuum metalized Reflector No. 20,634 with one prefocused

One in shipping carton. Wt. 13/4 lbs...... \$7.95

One in shipping carton. Wt. 11/2 lbs..... \$8.45

2411-1 With Sealed Beam Lamp No. 4546.

Lamp No. PR 13.

2411-1

new, powerful lights for general use

THE BRIGHTEST NAME IN LIGHTS

DESCRIPTION

"YELLOW-FLASH" V-12 SEARCHLIGHT The newest and most useful light made. Case designed to use 8 flashlight batteries arranged to give 12 volts, or to use one 6 volt lantern battery. Reflector designed to use a miniature screw base or Prefocused lamp.

For an intensely white powerful beam use 8 flashlight batteries to produce 12 volts and Tubular Lamp No. 965 which gives 6.3 spherical candlepower; more than $2\frac{1}{2}$ times as much as any lamp suitable for use with one lantern battery.

For a brilliant long range spot beam, use reflector with a holder with a coiled spring, and use Prefocused Lamp No. PR 13 or PR 17 with one 6 volt lantern battery.

For regular hand lantern beam with one 6 volt lantern battery use reflector with holder containing min. sc. base socket. Use miniature screw base Lamp Bulb No. 27 for general use; No. 425 for brighter light but less battery life; No. 502 used by the railroads for long battery life.

LAMPS-LIGHT BULBS, see pages 8 & 9

PREFOCUSED LAMPS	
No. PR17 Lamp .3 amp. for 4 cells or	
one 6 volt lantern battery	\$0.20
No. PR13 Lamp .5 amp. for 4 cells or	
one 6 volt lantern battery	.20
MINIATURE SCREW BASE LAMPS	
No. 407 Flashing Lamp .30 amp. for	
any 6 volt circuit	.27
No. 502 Lamp .15 amp. for 4 cells or	
one 6 volt lantern battery	.17
No. 27 Lamp .30 amp. for 4 cells or	
one 6 volt lantern battery	.17
No. 425 Lamp .5 amp. for 4 cells or	
one 6 volt lantern battery	.17
No. 965 Lamp .5 amp. for 8 cells	.25

JUSTRITE 6-V. MIDGET SEARCHLIGHT Headpiece same as on JUSTRITE No. 2209 but battery case is shorter so that four size D flashlight batteries may be used instead of eight. Any of the 6 volt lamp bulbs suitable for use in the No. 2209 can be used in the same way in the No. 2305. 12 volt Lamp Bulb No. 965 cannot be used.

Instead of the folding handles on the No. 2209, the No. 2305 has a finger ring type handle 2½" wide, which folds down against back of case, making the light easy to pack as well as easy to use.

SETS OF TWO LIGHTS

ONE RED AND ONE WHITE For highway protection and to work efficiently, two lights are absolutely necessary; one to give a powerful white light and one to give a flashing red light. The white light is used to light up immediate surroundings, identify objects in the distance and in case of trouble to give light to find the causes and to make repairs. The red light is placed to mark obstructions and give warning to approaching traffic. On vacation and in camp the red light should be used to mark danger points. Place near any obstruction, pier or hazard to mark location for easy identification. Compact handy sets can be made up as follows:

"TROUBLE TWINS" LIGHT SET
No. 2305-1 Searchlight ...\$4.15
No. 2305-4 Blinking Bm. Lt. 5.15
"WORK & WARNING" LIGHT SET
No. 2305-1 Searchlight ...\$4.15 No. 2301-3 Lighthse. Lantn. 4.25











2301-3

20,019

2299-0

2305-1

SPECIFICATIONS

List Price Each

"YELLOW-FLASH" V-12 SEARCHLIGHT, 12 VOLT, CONVERTS TO 6 VOLT

Fits in space 3¼" x 3¼" x 8". Has 2¾" precision designed reflector in 2¾" precision designed reflector in headpiece mounted to turn in bracket on battery case having "fold down" handles. Finished in polished chrome and long wearing "catalyst" enamel. Insulation, designed to resist moisture and battery leakage, and may be taken out and cleaned. Switch on battery case. With one 12 volt tubular Lamp No. 965. Use 8 flashlight precision designed reflector in lar Lamp No. 965. Use 8 flashlight batteries.

One in display ctn. Std. pkg. 12, wt. 18 lbs. \$4.95

JUSTRITE "SADDLE-LIGHT" NO. 2434-3

Consists of 31/4" headpiece and insulated carrying handle mounted on steel plate which fits and "saddles" down on the two binding posts of any steel clad "double-six" six volt battery. Use a prefocused lamp or a miniature screw base lamp. Finished in chrome and "catalyst" enamel. Without battery. With two lamps, one No. PR 13 and one No. 1403. One in ship. ctn. Std. pkg. 12, wt. 12 lbs... \$4.95 "Double six", 6 volt steel clad battery....

JUSTRITE FISHERMAN'S LANTERN, 6-V.

Similar to the Yellow Flash Searchlight but designed especially to meet the needs of sportsmen. Finished in chrome and two pleasing shades of long wearing green catalyst enamel. Use one 6 volt battery. Furnished with one prefocused lamp No. PR 13.

One in display ctn. Std. pkg. 12, wt. 18 lbs. \$4.95

JUSTRITE V-6 MIDGET SEARCHLIGHT

Fits in space 3" x 3¼" x 6". Has 2¾" reflector in headpiece mounted to turn in bracket on battery case having "fold down" finger ring 2½" wide. Finished in polished chrome and long wearing "catalyst" enamel, baked on Insulation designed to make baked on. Insulation designed to prevent shorts and treated to resist moisture and battery leakage. Furnished with one Prefocused Lamp

No. PR 13. Use four size "D" cells.

One in display ctn. Std. pkg. 12, wt. 12 lbs. \$4.15

JUSTRITE "BLINKING-BEAM" LIGHT

Midget Searchlight No. 2305-1, but with a transparent Red Disc to color the light beam and with a .3 amp. Flashing Bulb No. 407 (Justrite Part No. 20,099) which flashes an average of about 80 flashes a min. Furnished with one spare lamp.

2305-4 One in ship. ctn. Std. pkg. 12, wt. 12 lbs... \$5.15

JUSTRITE "LIGHTHOUSE" 6 VOLT WARNING LANTERN

Should be in every car in case of an emergency or trouble on the road; in every camp as it will mark an area or path or mark a dock.

Has two conical reflectors one above the other held apart by a clear red cylindrical globe; gives light in all directions. Finished in long wearing "catalyst" enamel, baked on. Use 4 size "D" flashlight batteries. Furnished with No. 407 Flashing Lamp Bulb to produce a brilliant red dark Bulb to produce a brilliant red flashing, warning or marker light.

One in ship. ctn. Std. pkg. 12, wt. 11 lbs.... \$4.25

2301-3

JUSTRITE ELECTRIC HAND LIGHTS

KNOCKS THE DARK OUT OF DARKNESS

small powerful lights for general use

Model Number

SPECIFICATIONS

List Price Each Less Batteries

5.40

5.40

DESCRIPTION

LIGHT-STICK® Nos. 2106 and 2105 NEW IMPROVED FLASHLIGHT.

Use four size "D" batteries. Has lucite lens over reflector in housing mounted to turn in bracket on cover of 1½" x 3" x 5½" battery case, with belt clip and finger ring. Switch on battery case cover. Use a .30 amp. lamp for general use, a .50 amp. lamp for brightest light and a .15 amp. lamp for long battery life. Finished in lamp silver catalyst enamel, baked on.

2106-4 With 234" vacuum metalized reflector for use with prefocused lamp or miniature screw base lamp. Furnished with one pref. lamp No. PR 17 and with one min. sc. base lamp No. 27. One in ship. ctn. Std. pkg. 12, wt. 12 lbs.... \$6.60

2105-4 With 21/2" vacuum metalized reflector for use with miniature screw base lamp only. With rubber lens collar which will hold an auxiliary lens. Furnished with two No. 27 lamps. One in ship. ctn. Std. pkg. 12, wt. 10 lbs....

2105-6 The No. 2105-4 but with headpiece stamped "Bell System"



2106 2105

JUSTRITE INDUSTRIAL "LIGHT-STICK"®

The more convenient money saving flashlight; a new type. The Light-Stick is a four cell flashlight that will fit the pocket, clip on the belt, or can be carried by the finger ring. It fits in a box 2½" x 3" x 8½". It will not roll and can be placed on a table to shine light diagonally under the table. It is the finest, most convenient "repair light" you can use. The four cell "Light-Stick" with .30 amp. lamp gives about 2% times as much light as the conventional two cell flashlight with .50 amp. lamp. It costs less to operate because while there are twice as many cells in it they burn about $2\frac{1}{2}$ times as long. The saving amounts to about one battery for each four hours of use. (See table of operating information on page 8).

LAMPS-LIGHT BULBS, see Pages 8 & 9 ACCESSORIES AND PARTS, see Page 9

JUSTRITE "TWIN-BULB LIGHT-STICK" NO. 2151

Made of steel painted with "lamp silver" long wearing catalyst enamel, baked on. Battery Case holds four size D cells, producing 6 volt circuit. Two lamps in focusing sockets are mounted on a slide on the cover so that either lamp lights when mounted that either lamp lights when moved to the center of the cover. Lamps are protected by wire guard. Has bail handle. Packs in space 1¾" x 4¾" x 7¾". Furnished with two lamps, one No. 27 and one No. 502.

2151-1 One in ship. ctn. Std. pkg. 12, wt. 8 lbs....



2151-1

JUSTRITE "TWIN-BULB® LIGHT-STICK" NO. 2151

A new pocket lantern with two 6 volt lamps, either one instantly available. Should the lighted lamp fail the other lamp is moved to the center of the cover in a matter of seconds where it is lighted. This is a very convenient pocket hand light with an emergency feature which is almost a necessity in certain situations. Gives more light and costs less to operate than a two cell flashlight.

JUSTRITE "VEST-POCKET LIGHT-STICK" NO. 2155

About ¾ " diam., 5 ¼ " long. Battery Case high impact strength yellow plastic. Lamp holder clear plastic designed to give a strong beam from end and light from the side so user can identify objects around him. Pocket Clip is the switch; light can-not go on when clipped in pocket. Furnished with one No. 243 Lamp.

2155-1 One in cardbd. bx. Std. pkg. 12, wt. 11/4 lbs. \$1.98 2155-2 The No. 2155-1 but with two "Energizer" electronic type batteries.

One in cardbd. bx. Std. pkg. 12, wt. 2 lbs.

20,011 "Energizer" electronic type Battery, size
"AA". Use two......List price each

20,224 No. 243 Lamp (bulb TL-3) 2.33 V., .27 A.

20,156 Adj. Lanyard (with screw with eye).....



JUSTRITE "VEST-POCKET LIGHT-STICK" NO. 2155

A small pocket light which is very convenient and economical to operate. Uses the new "Energizer". Batteries No. 1015 developed for radio and electronic applications. This batteries was a small the house of the convenience tery is very efficient and the hours of burning life are greatly increased over that of other size "AA" cells (17/32" diam., 1-7/8" long).

JUSTRITE "TWIN-BULB" HAND LANTERN, ALL PURPOSE TYPE, 6 VOLT

JUSTRITE "TWIN-BULB" HAND LANTERN NO. 2142-6

Has two light bulbs protected by a lucite cover, either one instantly lighted when moved by switch lever to focal point of 3½" reflector. Has bail type handle. Flood light and beam at same time from either bulb. Lantern mounted to turn up or down. Use one 6 volt lantern battery. With two No. 27 Lamp Bulbs.

2142-6 One in ship. ctn. Std. pkg. 12, wt. 30 lbs.... \$6.80

20,590 Auxiliary Reflector 7" diam. fits on headpiece to give stronger beam..... COVER, A.A.R. COLORS, FOR 9/16" LAMP BULB Fits down over either lamp bulb to color all light from that lamp only. They are color fast, absorb very little light and can be removed and reused at will.

20,37* *2 Red, *3 Yellow, *4 Green, *5 Blue.....



An ideal light for outdoor use such as around camp or farm. Justrite Twin-Bulb feature not only gives the necessary amount of side light to see nearby objects, but at the same time also gives a beam to pick up distant objects. Use one 6 volt lan-tern battery and light bulb No. 27 for general use. The other bulb can be No. 425 for brighter light, or No. 502 for longer battery life. The Twinfor longer battery life. The Twin-Bulb feature is also a safety feature. Should one bulb fail the other bulb is always instantly available so that the user is not without light at a time when light might be necessary. A plastic tubular shaped colored cover can be pushed down over either lamp bulb and colors the light from that lamp; easily removed.

2142-6

JUSTRITE ELECTRIC HEADLIGHTS

for sports, maintenance and farming

DESCRIPTION

JUSTRITE SUPER SPORT-LIGHT NO. 1903

A super power light to wear on the and have both hands free. Place battery case on belt. Gives all the light you need.

12 Volt Power. Use 8 flashlight batteries in series to produce 12 volts and gas filled light bulb No. 965 to get an intensely brilliant white darkness-penetrating light. Ideal for camping and for use in the woods.

6 Volt Economy. Use one 6 volt lantern battery with miniature screw base Lamp No. 27 for general use or No. 502 used by the Railroads for longer battery life.



An ideal sport light. Headlamp is generally worn on head but may be worn on arm, chest or leg. Use No. 425 or No. 27 Lamp. Battery case worn on belt or carried in pocket. Both headlamp and battery case are light weight and do not interfere with arm or head action. Used extensively in surface the state of t sively in surf casting and in winter sports. Just the thing for outdoor work at night in the garden or around the house. Uses four size "D" cells.



JUSTRITE "EAGLE EYE" HEADLIGHTS

Light in weight and extremely powerrelation of the special and extremely powerful. Gives intense spot beam from precision designed 3" vacuum metalized reflector when used with prefocused Lamp No. PR 13. Switch conveniently located on reflector bracket. Reflector covered with policibal limits of the special powerful policy. ished Lucite Lens sealed on. Entire headpiece weighs only 5% ounces.

LAMPS - LIGHT BULBS, see Pages 8 & 9


PREFOCUSED LAMPS	
No. PR 17 Lamp .3 amp. for 4 cells or	
one lantern battery	\$.20
No. PR 13 Lamp .5 amp. for 4 cells	
or one lantern battery	.20
No. PR 12 Lamp .5 amp. for 5 cells	.20
MINIATURE SCREW BASE LAMPS	
No. 365 Lamp .5 amp, for 3 cells	.17
No. 605 Lamp .5 amp. for 5 cells	.17
No. 502 Lamp .15 amp. for 4 cells or	
one lantern battery	.17
No. 27 Lamp .30 amp. for 4 cells or	
one lantern battery	.17
No. 425 Lamp .5 amp. for 4 cells or	
one lantern battery	.17
No. 965 Lamp .5 amp. for 8 cells or	
2 lantern batteries in series	.25
No. 407 Flashing Lamp .30 amp. for	
any 6 volt circuit	.27

JUSTRITE DOUBLE PURPOSE DUALITES

Small, convenient hand lanterns, any one of which can be changed into a headlight in a matter of seconds. The lamp is worn on the forehead and the battery case can be attached to the belt or carried in pocket, leaving both hands free. Excellent for sportsmen; freedom of hands is a must for protection. Headband and cord are folded away in battery case when nct in use. Converts from hand lan-tern to headlight without changing connections. An unusual and very popular light available in two sizes. Carrying handles are rigid and strong; engineered to give plenty of hand room. Uses size "D" cells.







SPECIFICATIONS

List Price Each Less Batteries

JUSTRITE SUPER SPORT-LIGHT, 12 V. HEADLIGHT WITH BATTERY CASE

Use 8 size D cells in series to produce 12 volts, and gas filled light bulb No. 965 for brilliant white light. one 6 volt lantern battery and light bulb No. 27 for general use, No. 425 for brighter light and No. 502 for longer battery life. Has 2½" headlamp with headband on 18 gauge "Twinflex" 50" replaceable cord to 3" x 3" x 5" battery case with belt loops. Furnished with one tubular Lamp

No. 965.

1903-6 One in ship. ctn. Std. pkg. 12, wt. 18 lbs... \$5.45

JUSTRITE SPORT-LIGHT, 6 VOLT HEADLIGHT WITH BATTERY CASE

Has 21/2" reflector in focusing lens ring on reflector housing. Has $1\frac{1}{2}$ " x 3" x $5\frac{1}{2}$ " steel battery case with belt clip. Use four size D cells. With one Min. Sc. Base Lamp 425.

1904-4 One in ship ctn. Std. pkg. 12, wt. 13 lbs... \$4.60

JUSTRITE HEADLAMP ASSEMBLIES HEADLIGHTS WITHOUT BATTERY CASES FOR USE WITH 6 VOLT CIRCUITS

Headpiece with reflector, headband and 18 gauge Twinflex 50" cord with terminals.

Has 3" Reflector and No. PR 13 Lamp Bulb. 1903-2 One in ship. ctn. Std. pkg. 12, wt. 8 lbs....

Has 21/2" Reflector and No. 425 Lamp Bulb. 1904-2 One in ship. ctn. Std. pkg. 12, wt. 6 lbs....

JUSTRITE "EAGLE EYE" HEADLIGHTS

Light weight, easy to use and adjust. Switch conveniently located on reflector bracket. Powerful sharp spot beam from prefocused lamp in 3" reflector with Lucite Lens, can be adjusted up or down. Has 18 gauge Twinflex cord 50" long with terminals. Has strong elastic headband. Furnished with or without battery

"EAGLE EYE" WITHOUT BATTERY CASE Headlamp Assembly only, as above, without battery case or holder. With one Lamp No. PR 13 for 6 volts.

1911-2 One in ship. ctn. Std. pkg. 12, wt. 6 lbs.... \$3.30

"EAGLE EYE" WITH CASE FOR 4 CELLS Headlight as above, with $1\frac{1}{2}$ " x 3" x $5\frac{1}{2}$ " Battery Case made of steel, coated to prevent rusting. Holds four size "D" cells to produce 6 volts. With one Lamp No. PR 13.

1911-4 One in ship. ctn. Std pkg. 12, wt. 11 lbs... \$4.25

JUSTRITE DOUBLE PURPOSE "DUALITE" Combination headlight and handlight.

Use size D flashlight cells. Has headpiece on front of battery case. Headpiece may be removed and worn on head without changing connections. Headband and cord attached to headpiece are packed in battery case. Carrying handle pushes down against case when not in use.

1983-1 21/2" headpiece on 3 cell case 11/2" x 3" x 6". With one miniature screw base Lamp No. 365. One in ship. ctn. Std. pkg. 12, wt. 18 lbs... \$6.45

31/4" headpiece on 5 cell case 11/2" x 41/2" x 6". With one miniature screw base Lamp No. 605. One in ship. ctn. Std. pkg. 12, wt. 26 lbs.... 8.45

5

2 95

JUSTRITE MANUFACTURING COMPANY, 2061 NORTH SOUTHPORT AVENUE, CHICAGO 14, ILLINOIS, U.S.A. TELEPHONE DIVERSEY 8-2114

IIISTRITE JUSTRITE INSPECTORS LIGHTS

KNOCKS DANGER OUT OF DARKNESS

for railroads, utilities, industrials

		e production de la constant	
Model Number		ce Each atteries	A Company
1	JUSTRITE "SADDLE-LIGHT" NO. 2434 Consists of headpiece and insulated carrying handle mounted on steel plate which fits and "saddles" down on the two binding posts of any steel clad "double-six" six volt battery. Battery not included, order separately.		
2434-4	With 4½" precision reflector. With double filament lamp for flood light or beam. One in shipping carton, weight 1½ lbs		JUSTRINE Secretarion
2434-6	With Sealed Beam Lamp No. 4546. One in shipping carton, weight 1½ lbs	8.95	
	With 3" precision reflector. Use prefocused or min. sc. base lamp. With one No. PR 13 Lamp and one No. 1403 Lamp for flood light. One in shipping carton, weight 1 lb	4.95	2434-4
	"Double Six" 6 volt steel clad battery Adjustable Shoulder Strap, 50 in., with clips	2.76 \$1.40	
	JUSTRITE INSPECTOR LANTERN NO. 2131 Has 3" reflector in headpiece on end of battery case mounted on stand which turns to allow easy carrying under arm. With two lamp bulbs, one		2131-1
	to give a beam, the other a flood light.		2131-1
2131-1	One in ship. ctn. Std. pkg. 12, wt. 20 lbs	\$7.50	
2121-1	JUSTRITE "DOUBLE HEADER" LANTERN Use one 6 volt lantern battery. Has two headpieces, each with 2½" re- flector, switch and rubber lens col- lar, rigidly fixed on end of battery case mounted to turn up or down on steel wire stand. Furnished with two lamps; one headpiece has lamp with a long filament for a flood light; the other has lamp No. 27 for a powerful spot beam. One in ship. ctn. Std. pkg. 12, wt. 24 lbs	\$8.80	2121-1
	WATER TO THE PROPERTY OF THE P		
2210.2	Fits in space 3%" x 3%" x 84". Has 3" precision reflector in headpiece mounted to turn in bracket on battery case having "fold down" handles. Finished in long wearing enamel. Use one 6 volt lantern battery. Furnished with one No. 27 Lamp. One in ship, ctn. Std. pkg. 12, wt. 20 lbs	\$5.40	2219-2
2217-2	One in snip. cm. std. pkg. 12, wt. 20 ibs	\$3.40	
2107-6 5-809		\$4.95 .52	2107
	JUSTRITE INDUSTRIAL HEADLIGHT Use one 6 volt lantern battery and		

Use one 6 volt lantern battery and light bulb No. 27 for general use, No. 425 for brighter light and No. 502 for longer battery life. Has $2\frac{1}{2}$ " headlamp with headband on 18 gauge "Twinflex" 50" replaceable cord to 3" x 3" x 5" battery case with belt loops. With honeycomb lens in rubber lens collar over clear lens. With one light bulb No. 27.

1903-5 One in ship. ctn. Std. pkg. 12, wt. 18 lbs... \$5.95



JUSTRITE INSPECTORS LANTERNS

Designed to illuminate any given target with light bright enough and large enough to quickly discover any defects or trouble, so that repairs can be quickly made and a minimum amount of time lost. Extensively used by Railroads, by Utilities and by nearly every company in maintenance and inspection.

LONG WEARING

Made of finest materials, guaranteed finest workmanship. Design permits easy removal of parts to clean, repair and replace.

BATTERY CASE

Square type, made of steel coated to protect against rust, finished in high grade, long wearing catalyst enamel. Nos. 2107 and 1903 have belt loops for 2¼" belt. Nos. 2121 and 2131 take one lantern battery and have holder for spare bulb.

REFLECTORS

are vacuum metalized and are $4\frac{1}{2}$ ", 3", $2\frac{3}{4}$ " or $2\frac{1}{2}$ " in diam. (Sealed Beam Lamp No. 4546 can be used in place of a $4\frac{1}{2}$ " reflector.) The $4\frac{1}{2}$ " reflector can be furnished to hold a miniature or candelabra, screw or bayonet base lamp. The $4\frac{1}{2}$ " and $2\frac{3}{4}$ " reflectors will take a prefocused or a miniature screw base lamp by changing the "cup" in the bushing on the back of the reflector. The $2\frac{1}{2}$ " reflector is designed for use with miniature screw base lamps only.

LAMPS AND LENSES

With a lamp with a concentrated filament use a clear lens for a powerful "spot" beam. If beam is to be spread over an area use a lens with a honeycomb or similar pattern although it will absorb some light. A lamp with a long double filament will spread the light from the reflector and a clear glass lens can be used to give more light on the target. Remember that when a circle of light one foot in diam. is spread over a circle 4 feet in diam., the intensity of that light drops to 1/16 of the intensity of the light on the one foot circle, even though the distance from lantern to target remains the same.

HANDLES

on Nos. 2121 and 2131 are wood, turned to give firm grip, mounted so they cannot turn in steel support firmly attached to battery case. Handles on No. 2219-2 fold down against battery case.

GUARDS

Nos. 2121 and 2131 have steel wire oblong base fastened with metal stampings to battery case so that lantern swivels to point up or down.

INDUSTRIAL HAND LIGHT

has many uses. It is economical to operate and is a time saver; speeds up transportation, journal boxes serviced more quickly. When beam is spread by a "pointex" glass lens it lights up a larger area.

JUSTRITE INDUSTRIAL HEADLIGHT

Speeds up transportation, journal boxes serviced more quickly. Has same characteristics as hand light but headpiece, worn on head, chest or leg, is connected to battery case by means of a conductor cord. Battery case has belt loops.

for railroads, utilities, industrials

THE BRIGHTEST NAME IN LIGHTS

LONG WEARING

Made of finest materials, guaranteed finest workmanship. Design permits removal and replacement of parts. JUSTRITE LANTERNS CAN BE REPAIRED.

BATTERY CASE

Will not trap moisture. Made of steel coated inside and out to protect against rust. Holder for spare lamps in cover. Painted with catalyst enamel; the longest wearing paint. Use 6 volt lantern (dry) battery or rechargeable storage battery.

CIRCUIT AND INSULATION
Circuit is completely brass. Insulation will not absorb moisture.

HANDLE-BAIL

Heavy aluminum tubing, insulated against heat, cold and high voltage, with vinylite. Shape of handle allows lantern to be held near center of gravity giving perfect balance

REFLECTOR

Brass, highly polished, chrome plated. Diameter of parabola 3 1/2". Lighted Lamp is always in the center of the reflector. One Lamp gives floodlight completely around circle, lighting objects 17½ degrees back of the lantern. The other Lamp gives a spot large enough to find and read car numbers, also a floodlight completely around circle, lighting objects 10 degrees back of the lantern. (Reflectors on "Flagman" Lanterns increase light from end of globe.)

BULB SOCKETS

Machined from yellow brass bars. Coil springs press against base of bulbs; they cannot work loose. Contacts are capped coil springs; lamps can be focused over range of 3/16".

Bulb sockets are mounted in reflector on a slide. Lever moves slide to bring either bulb to center of reflector where it lights. Nothing to get out of order. It is impossible to light either Lamp by making contact between any two points on the exposed exterior surface of the lantern.

GUARD-STAND

Round rigid guards have welded steel ring with four curled-over braces, each individually riveted to battery case with two rivets. Designed so if lantern is swung against an obstruction the shock is cushioned and the lighted filament is less likely to break. Lantern No. 2142-6 has square base; swivels vertically.

LUCITE COVER FOR REFLECTOR

Protects light bulbs and reflector. Can be used on Nos. 2140, and 2142.

COVER FOR ONE LAMP BULB

Plastic cover in A.A.R. colors fits down over either lamp bulb and colors all light from that one bulb.

FRESNEL LENS, A.A.R. COLORS

Draws light into horizontal plane, reflector increases light from end. Fits on lantern No. 2140.

FRESNEL GLOBE, A.A.R. APPROVED

Approved both as to design and colors by A.A.R. Use with Flagman lantern No. 2172.

FLASHING LANTERN

Use Justrite Part No. 20,099. A .3 amp. 6 volt Flashing Lamp Bulb (No. 407) flashes on average of about 80 flashes per minute.







2172-2 WITH BAIL HANDLE WITH 6" x 4" ARM SPACE 2173 HAS BAIL HANDLE WITH 5" x 3" ARM SPACE



20.025 20,022

JUSTRITE TWIN-BULB LANTERNS

Flood Light and Beam at same time from either bulb. Change from one bulb to the other in one second. Each bulb held in place in a focusing socket by a heavy spring; bulbs cannot work loose. Bulbs are mounted on a slide, either bulb instantly lighted when moved by lever to the focal point of the reflector. Switch is mechanical; there is nothing to get out of order. Lantern is carried near center of gravity by insulated bail handle.

Model Number

2 2 **SPECIFICATIONS**

List Price Each

6.40

7.40

.20

9.00

JUSTRITE NOS. 2140 and 2141 "TWIN-BULB" TRAINMAN'S LANTERNS COVER HINGED TO CASE.

Has completely brass circuit. Has Brass Reflector giving a 3½" diam. beam. Has two focusing lamp sockets, one ¼" higher than other. No lens, no globe. Has insulated bail handle. Furnished without light bulbs.

2140-1 With 6" x 4" bail handle	\$5.80
2141-2 With 5" x 3" bail handle	5.80

2140-3 The Nos. 2140 and 2141 but with clear 2141-3 Lucite cover protecting reflector and lamps 2140-5 The Nos. 2140 and 2141 but with Fresnel Lens in A.A.R Colors. Specify Color.... 2141-5

COVER, A.A.R. COLORS, FOR ONE LAMP BULB ONLY Fits down over either lamp bulb to color all light from that one lamp only. 20.37* *2 Red, *3 Yellow, *4 Green, *5 Blue.....

"TWIN-BULB" CONDUCTOR'S LANTERN The JUSTRITE "TWIN-BULB LIGHT-STICK"

No. 2151 described on page 4 of catalog.

JUSTRITE NOS. 2172 and 2173 "TWIN-BULB" FLAGMAN'S LANTERNS COVER HINGED TO CASE.

Has completely brass circuit. Has insulated bail handle. Designed according to A.A.R. Sig. Sec. drg. No. 1346C to use Fresnel Globe, approved by A.A.R. Sig. Sec. (drg. No. 1609B). Globe held on reflector with three rigid clips and latch clip; easily removed without tools. Can be hung so light is seen from above.

172-1	Furnished	less	Globe,	less	lamps.			
173-1	One in sh	ip. ctr	n. Std.	pkg.	12, wt.	24	lbs.	\$6.9

2172-* The Nos. 2172 and 2173 but with Fresnel 2173-* Globe in A.A.R. Colors; specify color. *2 Red, *3 Yellow, *4 Green, *5 Blue. Furnished with two No. 27 Light Bulbs. One in ship. ctn. Std. pkg. 12, wt. 32 lbs....

2172-6 The Nos. 2172 and 2173 but with Clear White Fresnel Globe. 2173-6

> Furnished with two No. 27 Light Bulbs. One in ship. ctn. Std. pkg. 12, wt. 32 lbs....

JUSTRITE GRADE CROSSING LANTERN Light Shield to fit in guard of Flagman's Lantern No. 2172-2.

20,135 Light Shield only. Ship. wt. ½ lb......

JUSTRITE STORAGE BATTERY UNITS RECHARGEABLE

Put in any Justrite No. 2140, 2141 2172 or 2173 Lantern as you would the 6 volt dry battery. Lift out to charge, drop back in lantern when recharged. No connections to make.

20,022 Justrite 'Non-Spill' lead-acid, 4 volt, 6 amp.

Justrite Nickel Cadmium Battery Nife C3.8M cells. Rechargeable (1000 cycles). 20,025 4 cell, 4.8 volt battery with contact plate.. 56.80

> JUSTRITE STORAGE BATTERY CHARGERS for above batteries are available. Write for information.

STRITE MINIATURE ELECTRIC LAMPS and BATTERIES

TABLE OF OPERATING INFORMATION

characteristics and combinations

OF VARIOUS COP		4 - 5	COMBINATIONS THE COMBINATION	TIONS	OF N	AINIATURE OU WANT	7 -	AMPS WITH ROM THIS	SIZE 'D'	CELLS AND	Burning Lif	of Bat	BATTERIES teries.
Lights and Lanterns below are in the		Battery Co	Combinations	and C	Correct Lamps	(Light	Bulbs) to	use with them	m.	When light or lan	tern	used	as noted below a sectual burning
	Arrange	Arrangement of Batteries	itteries		Chara	S	Q	(Light Bulbs)		time before their output	batt	batteries drop to	to 60% of
Z	Number C used and Size	Connected in Series or in Parallel	Volts produced with new batteries	Mir s number for Lamp	Volts /	Amperes lamp is designed for	Average actual burning life	Spherical candle power at designed volts	Approximate maximum beam candle power at avge volts	5 min. on 55 " off in 8 hr. day		30 min. on 30 " off in 8 hr. day	45 min. on 15 " off in 8 hr. day
N	Size D	Series	3.0 V.	PR2	2.38 V.	.50 A.	15 hrs.	.75	1,500	3.5 hrs.	2.8 hrs.	2.0 hrs.	1.5 hrs.
m:	Size D	Series	4.5 ×.	PR7 PR3		.30 A.	30 hrs.	.85	2,000	8.0 hrs. 3.5	7.0 hrs. 2.8	5.0 hrs. 2.0	3.5 hrs.
(./.	3 Size D	Series	4.5		3.70 "	.30	15 ::	.90	2,000	3.5	7.0 .:	5.0	
4.	4 Size D	Series		PR17 PR13	4.90 V.	.30 A. .50 ".	30 hrs.	1.30	4,000	8.0 hrs.	7.0 hrs. 2.8	5.0 hrs. 2.0	3.5 hrs.
4	4 Size D	Series 	. : : 0.00 0.00	502 1403, 27 425	5.10 4.90 5.00	.30	100 :: 30 :: 15 ::	55 1.30 2.50	1,500 4,000* 7,000		21.0 " 7.0 " 2.8 "		10.0 "
L	Size D	Series		PR12		-	15 hrs.	3.00	10,000	ا ح	_	2.0 hrs.	1.5 hrs.
5.	Size	Series	7.5 "	31	6.15	.30	15 ::	2.00	6,000	8.0 "	7.0 ". 2.8 ".	5.0 "	3.5 "
	8 Size D	Series	12.0 V. 12.0 .:.	993	9.83 V. 9.84 '''	.30 A. .50 ".	15 hrs.	3.40	8,000	8.0 hrs. 3.5	7.0 hrs. 2.8	5.0 hrs. 2.0	3.5 hrs.
	1 Lantern	Battery		PR17 PR13	4.90 V.	.30 A.	30 hrs.	1.30	4,000	22.0 hrs. 10.5	19.0 hrs. 8.3	15.0 hrs.	10.5 hrs. 4.5
	4 size F cells in Series	ries	: : :	502 1403, 27 425	5.10	.15	100 "30 "15 "15 "15 "15 "15 "15 "15 "15 "15 "15	55 1.30 2.50	1,500 * 4,000 * 7,000	65.0 " 22.0 ". 10.5 ".	57.0 " 19.0 " 8.3 "	48.0 15.0 6.0	34.0 "
				4546	4.70 "	09.	100 "	Sealed Beam	6,000	10.5 "	8.3 "	0.9	4.5 "
	2 Lantern Batteries connected in Series	Batteries in Series	12.0 V. 12.0	993	9.83 V. 9.84 .:	.30 A.	15 hrs.	3.40	8,000	22.0 hrs. 10.5	19.0 hrs. 8.3	15.0 hrs. 6.0	10.5 hrs. 4.5
	2 Lantern Batteries connected in Paralle	Batteries in Parallel		PR17 PR13		.30 A.	4	1.30	4,500	65.0 hrs. 30.0	57.0 hrs. 25.0	48.0 hrs. 20.0	34.0 hrs. 14.0
1100	=		 6.0 6.0 6.0	502 1403, 27 425	5.10 " 4.90 " 5.00 "	15	75 " 20 " 10 "	.55 1.30 2.50	1,500 5,000* 8,000	190.0 " 65.0 " 30.0 "	170.0 " 57.0 " 25.0 "	145.0 "48.0 "20.0 "	34.0 .:
1			:	4546	4.70 "	05.	1 1	Sealed Beam	7,000	30.0	25.0 "	20.0	
					: :			3.00	00006	22.0 "	19.0 "	15.0 "	10.5 "
	:		0.9	Dol. Fil.		1.00	50 "	5.50	18,000 Flood	10.5 "	8.3	0.9	4.5 "
-	3 Lantern Batteries connected in Paralle	Batteries n Parallel			>:		7	1.30	5,000	120.0 hrs. 58.0	105.0 hrs. 25.0	90.0 hrs. 43.0	70.0 hrs.
	2		:::	502 1403, 27 425	5.10		50 :: 5	.55 1.30 2.50	2,000 6,000* 9,000	350.0 " 120.0 " 58.0 "	320.0 " 105.0 " 52.0 "	280.0 "	225.0 " 70.0 " 30.0 "
	2		: :		: :	50	: 40 ::	Sealed Beam Sealed Beam	8,000	0.09	50.0 "	42.0 "	31.0
	:		:	1651	:			3.00	10,000	48.0 "	37.0 "	31.0 "	22.0 "
	4			1553 \ Dbl. Fil. }	(4.75 " (4.75 "	1.00 ::	50	5.50	20,000 Flood	20.0	16.0 "	13.0 "	0.6
	4V. 6A. hrs.	s. Stg. Bat.	4.0 V.	518	4.00 V.	.55 A.	250 hrs.	1.75	000'9		Time over	hrs. on	each full charge.
	OV. CV.				5.90 "	:	100	5.50		lotal burning	Time over	hrs. on	rull charge.
<u> </u>	6V. 6A. hrs.	s. Stg. Bat.	. 6.0 V.	(Dbl. Fil.)	5.90 "		: 100	5.10	Flood	Total Burning	Time over 8	hrs. on each full	full charge.
TU	RING COM	© 1959, JUSTRITE MANUFACTURING COMPANY, CHICAGO 14, ILL. U.S.A	AGO 14, ILL	U.S.A.					*FOR N	JO. 27 LAMP O	NLY. NO. 1403	LAMP GIVES F	LOOD LIGHT.

59, JUSTRITE MANUFACTURING COMPANY, CHICAGO 14, ILL. U.S.A.

JUSTRITE

accessories and parts for all models

Model Number	DESCRIPTION Li	st Price Each	Model Number	DESCRIPTION	ist Price Each
20,011 20,012 20,014 20,017 20,019	DRY BATTERIES: Please order in Standard Package "Energizer", electronic type, size "AA" (Std. Pkg. 72) "Energizer", electronic type, size "D" (Std. Pkg. 96) Flashlight, Size "D" (Standard Package 96) Lantern, 4 size "F" in series, 6 volt (Std. Pkg. 12) "Double Six" 6 volt steel clad	\$0.22 .82 .22 1.32 2.76	20,022 20,023 20,026	RECHARGEABLE STORAGE BATTERIES Lead-Acid, non-spill, 2 cell, 4 volt, 6 amp. hrs. with contact plate for No. 2140, -41, -72, -73 Lead-Acid, non-spill, 3 cell, 6 volt, 6 amp. hrs. with contact plate for Justrite Pendragon Lanterns. Nickel-Cadmium for Pendragon Lanterns No. 2404 5 cell, 6.0 volt, 3.8 amp. hrs. with contact plate	\$15.00 22.50 72.00
20,031 20,034 20,037 20,040 20,046 20,052 20,058 20,067 20,070 20,073 20,076 20,079 20,081 20,082 20,099	BATTERY CASE PARTS 4 cell headlight case, 11/2" x 3" x 51/2", complete less cord Bottom Contact Plate for 4 cell headlight case Plastic Pouch with loop for belt, for lantern battery Bottom with Contacts for Nos. 2301, 2305 Cover, 3" x 3", with latch, for No. 1708, 1788 Cover, 3" x 3", with latch, for No. 1708, 1788 Cover, 3" x 3", with latch for 1903, 2209 Cover, 3" x 3", with latch for 1903, 2209 Cover, 3" x 3", with latch for 2140, 2141, 2142, 2172 Cover Latch (with rivet) for 3" x 3" battery case Bottom Assembly for No. 2140, less reflector, slide, lever Battery Case Sides with round guard for No. 2140 Seal, Wire to seal cover and lens to casePkg. of 100 Lever to operate Twin Bulb Slide	\$2.00 .20 .80 .80 .80 .30 .15 .75 1.00 .10 1.50 2.00 1.60 1.80	20,354 20,357 20,360 20,363 20,372 20,373 20,374 20,385 20,384 20,385 20,386 20,391 20,394 20,397	LENS AND GLOBES FOR "TWIN-BULB" LANTERNS Fresnel glass cover, clear, for Nos. 2140, 2141, 2142 Fresnel glass cover, A.A.R. Red for Nos. 2140, 2141, 2142 Lucite Cover, 37/8" x 13/8" (lear for Nos. 1744, 2140, -41, -42 Lucite Cover, A.A.R. Red, to color light from one bulb only Plastic Cover, A.A.R. Yellow, to color light from one bulb only Plastic Cover, A.A.R. Green, to color light from one bulb only Plastic Cover, A.A.R. Blue, to color light from one bulb only Fresnel Globe, A.A.R. Blue, for Lantern Nos. 2172, 2173 Fresnel Globe, A.A.R. Green, for Lantern Nos. 2172, 2173 Fresnel Globe, A.A.R. Green, for Lantern Nos. 2172, 2173 Fresnel Globe, A.A.R. Green, for Lantern Nos. 2172, 2173 Fresnel Globe, A.A.R. Clear, for Lantern Nos. 2172, 2173 Gasket for 37/8" Cover Glass or Lens Gasket for 2-13/16" Fresnel Globe on Nos. 2172, 2173 Clips to hold 37/8" Cover Glass or Lens	\$1.00 2.00 .50 .80 .20 .20 2.64 2.64 2.64 2.64 2.05 .08
20,111 20,117 20,120 20,123 20,125 20,129 20,132 20,135	GUARDS AND STANDS (order fastener parts separately) Fixed Round Guard Stand for Nos. 2140, 2141. Fixed Round Guard Stand for Nos. 2172, 2173. Fixed Guard to protect reflector cover on No. 1744-8. Movable Stand for Safety Lantern No. 1744-8. Movable Stand for Nos. 2121, 2131 and 2142. Rivets with washers, steel, to fasten guards. Per dozen Bolts, etc., steel, to fasten movable stand. Per pair Light Shield only for Grade Crossing Lantern. BAILS, HANDLES, LANYARDS, fastener parts separate Insulated Bails for Nos. 1744, 2140, 2141, 2142, 2172, 2173; Space for arm about 5" wide, 4" high.	\$0.40 .60 1.00 1.00 20 .40 3.00	20,421 20,424 20,427 20,430 20,433 20,441 20,447 20,453 20,461 20,461	LENS — For Lights with Single Lamp in Reflector 21/2" glass, clear round flat. 21/2" plastic, clear round flat. 21/2" honeycomb pattern, to spread beam. 21/2" thin plastic disc, red. 21/2" thin plastic disc, specify color. 23/4" glass, clear round flat. 23/4" thin plastic disc, red. 23/4" thin plastic disc, red. 23/4" thin plastic disc, specify color. 31" glass, clear round flat. 32" honeycomb pattern to spread beam. 31" honeycomb pattern to spread beam.	.20 .25 .20 .10 .30 .12 .20
20,147 20,150 20,153 20,156 20,159	Parts, steel, to fasten arm bail to lantern. Small wire hand bail for Nos. 1788, 2108. Handle Replacement for Inspectors' Lanterns Nos. 2121, 2131 Adj. Lanyard (with screw eye) to hang No. 2155. Adjustable Shoulder Strap, 50 in., with clips. HEADLIGHT CORDS, BANDS, ETC. Cord, 50'' Twinflex, 18 gauge with terminals	.40 .10 1.00 .40 1.40 \$0.40	20,470 20,473 20,481 20,487 20,490 20,493 20,496 20,501 20,503	3" thin plastic disc, red. 3" thin plastic disc, red. 3" thin plastic disc, specify color. 334" glass, clear round, flat, for Crash Lantern No. 1740. 41/2" glass, clear round flat. 41/2" plastic, clear round flat. 41/2" honeycomb pattern to spread beam. 41/2" thin plastic disc. Cylindrical, clear for Light House Type No. 2301. Colored lining for cylindrical Light House type.	.40 .20 .40 1.00 .80 .40
20,170 20,173 20,179 20,182	Headband for "Eagle Eye" Headlights Nos. 1911. Headband for Nos. 1704, 1708, 1903, 1904. Headpad for Nos. 1704, 1708, 1903, 1904. Hook to hold Headlamp on Safety Helmet. HOLDERS (MOUNTING BRACKETS)	.30 .45 .10 .20	20,521 20,524 20,530	LENS RETAINING WIRES, FOR SINGLE BULB LIGHTS for 21/2" lens and reflector, regular type. for 21/2" lens and reflector, safety type. for 3" lens and reflector.	\$0.05 .05 .10
20,194 20,197 20,200 20,203 20,204 20,206 20,213 20,214	Wall Bracket to hold Nos. 1744, 2121, 2142. Revolving Holder for Nos. 1744, 2121, 2142. Holder for No. 2302 with Suction Cups and Screws. Wall Holder with screws for Nos. 1788, 2209, 2219, 2299. Spring Arm replacement, for holder No. 20,203. Holder No. 20,203 on stand to revolve. Bracket for Nos. 2401, 2404 mounted to turn. Bracket No. 20,213 designed for padlock.	\$0.80 1.00 .60 1.00 .25 1.40 4.80 5.40	20,551 20,554 20,557 20,560 20,563 20,566	LENS RINGS, FOR SINGLE BULB LIGHTS to hold $21/2''$ lens and reflector. $21/2''$ lens ring with Rubber Collar for safety lights to hold $23/4''$ lens and reflector. to hold $3''$ lens and reflector for $41/2''$ lens and reflector. Rubber Lens Collar for $21/2''$ lens ring, will hold aux. lens	.60 .10 .30 .30
20,224	LAMPS — LIGHT BULBS Mfrs. No. 243 — Min. Sc. Base .27 amp. TL-3 bulbPkg. of ten	\$1.70	20,569	Rubber Lens Collar for 3" lens ring	.30
20,233 20,236 20,239 20,242 20,245 20,248 20,250	13 Min. Sc. Base .30 amp. use 3 "D" cells. " " Min. Sc. Base .50 amp. use 3 "D" cells. " " Prefocused .30 amp. use 6 volt circuit. Pkg. of ten PR13 Prefocused .50 amp. use 6 volt circuit. " " Min. Sc. Base .15 amp. use 6 volt circuit. " " Min. Sc. Base .15 amp. use 6 volt circuit. " " Tubular Lmp. S-2 Filament for Insp. Ltn. Min. Sc. Base .30 amp., use 6 volt cir. Pkg. of ten	1.70 1.70 2.00 2.00 1.70 1.70	20,581 20,584 20,587 20,590 20,593 20,596	REFLECTORS — FOR "TWIN-BULB" LANTERNS 31/2" for Nos. 2140, 2141, 2142	\$0.35 .50 .80 2.00 .30 .10
20,251 20,099 20,254 20,257 20,260 20,261 20,263 20,264 20,271 20,274 20,277 20,293 20,295	407 FLASHING Min. Sc. Base, 30 a. 6 volt	2.70 2.50 2.85 4.00 8.00 12.50 2.00 2.00 1.70 5.00 2.50	20,611 20,614 20,617 20,620 20,625 20,625 20,628 20,630 20,631	REFLECTORS — FOR SINGLE BULB LIGHTS 21/2" for Safety Lights Nos. 1704, 1708, 1788. 21/2" for Safety Flashlight No. 1717 only. 21/2" for Nos. 1903-6, 1904, 1983, 2105, 2121. 234" with Bushing for Nos. 2106, 2199, 2209, 2299, 2305. 3" without Bushing for Nos. 1903-2 and 1989. 41/2" with Bushing for Aloss. 1903-2 and 1989. 41/2" with Bushing for adjustable lamp socket. Adjustable Socket to hold and focus Miniature Screw Base Lamp in 41/2" Reflector No. 20,628. Adjustable Socket to hold and focus Double Filament D.C. Bayonet Base Lamp in 41/2" Reflector No. 20,628. 41/2" with Bushing for Cup to hold Miniature Sc. Base Lamp or "PR" Lamp.	\$0.60 .60 .25 .45 .65 .70 2.40 1.00
20,311 20,314 20,317 20,320 20,323 20,326	LAMP SOCKETS — TWIN BULB SLIDES 3/6" and 5/6" high sockets on bulb slide for Nos. 2140, 2141 "Kick-Out" sockets on bulb slide for Safety Lantern No. 1744 3/6" high sockets on twin bulb slide for Nos. 2142 3/6" high sockets with 3/4" extenders on slide for No. 2172 Wire to retain 41/2 volt lamp in safety socket Wire to retain 6 volt and No. 993 lamps in safety socket.	\$1.00 1.00 1.00 1.20 .10	20,635 20,638 20,644	Sc. Base Lamp or "PR" Lamp. Cup with spring to hold Pre-focused Lamp in reflector Cup with Socket, to hold Min. Sc. Base Lamp in Reflector 43%" Plastic Sealed Reflector Unit with a replaceable Prefocused Lamp No. PR 13 as the light source	2.20 .20 .20 2.60
20,329 20,332 20,631 20,635 20,638 20,644	Wire to retain 6 volt and No. 993 lamps in safety socket. Extender to raise lamp 34" in socket. Extender to raise lamp 1/2" in socket. LAMP SOCKETS, for Single Bulb Lights Adjustable Socket to hold and focus Double Filament D.C. Bayonet Base Lamp in 41/2" Reflector No. 20,628. Cup with Spring, to hold PR Lamp in 23/4" and 3" Ref Cup with Socket, to hold Min. Sc. Base Lamp in 23/4" and 3" Reflector 43/8" Plastic Sealed Reflector Unit with a replaceable. Prefocused Lamp No. PR 13 as a light source.	\$1.00 0.20 .20 2.60	20,323 20,524 20,554 20,566 20,614 20,661 20,664 20,667 20,670 20,673	SAFETY 3 CELL FLASHLIGHT PARTS for Nos. 1717, 1729 Wire to hold No. 365 lamp in Safety Socket	

'AATURE ELECTRICE HEADLIGHTS

KNOCKS DANGER OUT OF DARKNESS

in explosive areas for safe use

SPECIFICATIONS

List Price Each Less Batteries

JUSTRITE SAFETY HEADLIGHT, 6 V.

Approved by

Underwriters' Laboratories, Inc. for use in Class 1, Group D, explosive atmospheres.

Use 4 size D cells and Lamp No. 27 for general use; 425 for bright light;

502 for long battery life. Has 2½" headlamp on 18 gauge "SJ" approved 50" cord. Has honeycomb lens in rubber lens collar over clear lens.

With one light bulb No. 27.

1704-8 One in ship. ctn. Std. pkg. 12, wt. 14 lbs... \$9.50 20,182 Hook to hold Headlamp on Lamp Bracket of Safety Hat.....

1704-8

DESCRIPTION

JUSTRITE SAFETY HEADLIGHT NO. 1704-8

Use this light in place of a "hand" safety light when doing work that requires the use of both hands. The battery case which may be sealed is small and compact; fits easily in the pocket, or is worn on the belt. headlamp is light in weight and does not interfere with head or arm action. Many jobs can be performed more quickly and easily with the light directly on the object being worked on and both hands free.

JUSTRITE SAFETY HEADLIGHT NO. 1708-8

Use in place of a "hand" safety light when the work being done requires both hands and also requires more

time and more light.

12 Volt Power. With 8 flashlight batteries in series to produce 12 volts and light bulb No. 993 you get an intensely brilliant white light. You can locate and identify anything a greater distance.

6 Volt Economy. Use one 6 volt lantern battery with light bulb No. 27 for general use; No. 425 for a brighter light; No. 502 for less light but maximum battery life.



JUSTRITE SAFETY HEADLIGHT SUPER POWER, 6 VOLT-12 VOLT

Approved by

Underwriters' Laboratories, Inc. for use in Class 1, Group D, explosive atmospheres. Use 8 size D cells in series with Lamp No. 993 to produce brilliant white light. Use one 6 volt lantern battery with Lamp No. 27 for general use; 425 for bright light; 502 for long battery life. Has 2½" headlamp on 18 gauge "SJ" approved 50" cord. Has honeycomb lens in rubber lens collar over clear lens. collar over clear lens. With one light bulb No. 993.

1708-8 One in ship. ctn. Std. pkg. 12, wt. 24 lbs... \$10.00

Hook to hold Headlamp on Lamp Bracket of Safety Hat.....

LIGHTS RPOSE






JUSTRITE AVIATORS' PENLIGHT

JUSTRITE AVIATORS' PENLIGHT
Use two size AA penlight batteries. Plastic bulb holder has metal cover containing shield to color beam white or red as required. Battery holder, high impact strength, fungus resisting plastic with metal screw threads. Pocket clip switch cannot light when clipped in pocket.
With one light bulb No. 222.
Flashlight, Type A-6B Penlight Spec. MIL-F-7326B (ASG) U. S. Air Force Stock No. 7700-332475. Less Batteries.
One in carboard box, 100 in ship. ctn.

Less Batteries.
One in carboard box, 100 in ship. ctn.
The No. 1730-7 but with adjustable Lanyard to hang penlight around neck. U. S. Navy type. Federal Stock No. GF6230-223-4547. Less batteries. One in box, 100 in ship. ctn. 1730-9



Approved by Underwriters' Laboratories, Inc. for use in Class 1, Group D Explosive Atmospheres. For one 6 volt lantern battery. Has 3½" reflector in headpiece protected by brass guard rigidly fixed on end of battery case. Battery case mounted to turn vertically on brass stand. Weatherproof. Large insulated bail handle and belt hook. With two light bulbs No. 425.

1740-8 One in ship. ctn., wt. 5 lbs.....

U. S. AIR FORCE "FIRE, RESCUE AND SEARCH" WEATHERPROOF ELECTRIC LANTERN, 6 VOLT

U. S. Air Force, Stock No. 7700-526850. Justrite Lantern No. 1740-8 with "Quick Release" Mounting Bracket No. 20,209.

1740-7 One in carton. Std. pkg. 8, wt. 45 lbs......




Use one 6 volt lantern battery. A modified No. 2108: made of brass. Weatherproof. Has long "tubular" hood to direct light, one each red, green, blue and yellow disc to color light, and .30 Amp. flasher to blink light. Has clamp so it may be rigidly fastened to tubular support to direct light at a given spot. Olive drab color. U. S. Marine Corps Stock no. 17-F-18550-10.
With 3 No. 27 Lamps and 2 Flashers.

1725-7 One in ship ctn. Std. pkg. 14, wt. 56 lbs.....









JUSTRITE HELICOPTER NIGHT VISUAL LANDING AID SYSTEM
Approach Light, 12 volt dry battery operated, projects rectangular pattern of Yellow, Green and Red light upward at desired angle. Two lamp bulbs and two circuits.

Marker Light operates on 6 volts and gives light in all or any direction in a horizontal plane which may be tilted to any angle. Amber. Blue, Green and Red color filters supply colored light.

Set consists of one Approach Light and eight Marker Lights packed in strong wooden box, size 27 in. x 17 in. x 10 in.; weight 52 lbs.



1725-7



for safe use in explosive areas

KNOCKS DANGER OUT OF DARKNESS

JUSTRITE SAFETY FLASHLIGHT 1717-8

Compact, shorter than a two cell flashlight. Fits in breast pocket; points light upward. Stands steadily on base. Will not roll. Case is shock resistant plastic, extremely tough, and is unconditionally guaranteed against breakage in normal use; stands up under temperatures rangitude from 140° below gove to 180° above. Safe to use around electrical circuits; switch button, finger ring and the screws holding base are all recessed. Rubber lens collar over lens ring will hold a honeycomb lens to spread the beam over an area. Color is high visibility yellow.

JUSTRITE SAFETY EXT. LIGHT 1729-8

For inspection of inaccessible areas. The flexible extension is "non-sparkrne nexible extension is non-sparking", and will retain any curvature into which it is set. Used to examine cylinders, barrels, interior parts of machinery and other places difficult to reach. Casts no shadows. Case is same as on Flashlight No. 1717-8.

WHY IS IT A SAFETY LIGHT? The Safety Light, sometimes called Explosion Proof Light, has two outstanding characteristics.

The light itself must be made of such material that should it scrape or otherwise hit a hard steel or flint rock surface, a spark will not result. The socket holding the light bulb is designed so the bulb is loose in the socket and is held against the contact in the base of the socket by pressure on the top of the light bulb itself. Around the contact in the base of the socket is a heavy spring, and the only way the light bulb can make contact is to compress this spring. Should the glass in the light bulb break or even crack, the pressure exerted by the spring in the bottom of the socket instantly crushes the broken bulb and the base of the bulb is forced away from the contact in the base of the socket. With the contact broken the filament in the light bulb cools sufficiently before the inrushing explosive gas reaches it, so that the gas is not ignited.

JUSTRITE SAFETY LANTERN 1744-8

The standard of industry. A light for general all around use where a safety lantern is required. Same general design as other Justrite Twin-Bulb Lanterns with the safety features added. The Twin-Bulb fea-ture is also a safety feature. It enables the user to have an emergency light at all times. In one second, either bulb may be lighted, and in one second change from one bulb to the other without removing the cover

JUSTRITE SAFETY HANDLIGHT 1788-8

Most powerful safety handlight made. Compact, light weight, convenient.

12 Volt Power. Use 8 size D cells in series to get 12 volts and light bulb No. 993. Gives brilliant darkness-penetrating beam. You can see anything at a greater distance.

6 Volt Economy. Use one 6 volt lantern battery with light bulb No. 27 for general use; light bulb No. 425 for more light; light bulb No. 502 for long battery life. Model Number

SPECIFICATIONS

List Price Each Less Batteries

JUSTRITE SAFETY FLASHLIGHT Approved by


Underwriters' Laboratories, Inc. for use in Class 1, Group D, explosive atmospheres. U. S. Bureau of Mines for use in Methane and Air Mixtures, Approval No. 608.

U. S. Coast Guard, Merchant Marine, Tech. Div., for use in Pump Rooms of Tank Vessels.

Use 3 size D flashlight cells. Has 21/2" reflector set diagonally in

battery case of plastic having high impact strength. With rubber lens collar. Fits in space 2¾" x 3¾" x 6". With one light bulb No. 365.

1717-8 One in ship. ctn. Std. pkg. 12, wt. 7 lbs..... \$5.35 20,427 Honeycomb Lens to spread beam over an area. Fits in Rubber Lens Collar......



Underwriters' Laboratories, Inc. for use in Class 1, Group D, explosive atmospheres. U. S. Coast Guard, Merchant Marine, Tech.

Div., for use in Pump Rooms of Tank Vessels. Use 3 flashlight cells. Has "kick out" bulb socket in shatterproof protector (casts no shadows) on non-sparking flexible extension. Will pass thru ¾" hole. Battery case of plastic having high impact strength. With one light bulb No. 365.

WHEN ORDERING SPECIFY EXTENSION. 1729-8 Light Bulb on 15" flexible extension.

One in ship. ctn. Std. pkg. 12, wt. 15 lbs.... \$12.00 Light Bulb on 30" flexible extension. One in ship. ctn. Std. pkg. 12, wt. 18 lbs.... \$14.00

1729-8 Longer lengths on special order.



1744-8

1729-8

JUSTRITE TWIN-BULB SAFETY LANTERN Approved by

Underwriters' Laboratories, Inc. for use in Class 1, Group C & D, explosive atmospheres. U. S. Bureau of Mines for use in Methane and Air Mixtures, Approval No. 1017.

U. S. Coast Guard, Merchant Marine, Tech. Div., for use in Pump Rooms of Tank Vessels.

Use one 6 volt lantern battery and light bulb No. 27 for general use or No. 425 for brighter light. Has $3\frac{1}{2}$ " reflector protected by nonsparking guard and by Lucite cover. Battery case 3" x 3" x 5" may be sealed and is mounted to turn up or down on your graphing square stand down on non-sparking square stand. With 3 seals. With two light bulbs, one No. 27 and one No. 425.

One in ship. ctn. Std. pkg. 12, wt. 33 lbs... One in ship. ctn. Sto. prys. 12, v. Lantern No. 1744-8 except made entirely of Non-magnetic. U. S.

Lantern No. 1744-8 except made entirely of non-ferrous metals. Non-magnetic. U. S. Federal Stock No. GF6230-270-5419. One in ship. ctn. Std. pkg. 12, wt. 34 lbs... The No. 1744-8 with two flashing lamp bulbs No. 407. With red lucite cover to protect lamps and reflector, and to color light red. One in ship, ctn. Std. pkg. 12, wt. 36 lbs...

JUSTRITE SAFETY HANDLIGHT SUPER POWER, 6 VOLT-12 VOLT Approved by

Underwriters' Laboratories, Inc. for use in Class 1, Group D, explosive atmospheres. U. S. Coast Guard, Merchant Marine, Tech.

Div., for use in Pump Rooms of Tank Vessels. Use 8 size D cells in series with light bulb No. 993 to produce brilliant white light. Use one 6 volt lantern battery with light bulb No. 27 for general use; 425 for brighter light. Has 2½" head-piece on battery case with fold down handle. Has Honeycomb lens in rubber lens collar over clear lens. Size 3¼" x 4" x 8¾". With one light bulb No. 993.

1788-8 One in ship. ctn. Std. pkg. 12, wt. 16 lbs... \$9.80

10.00



1729-8

WITH 15" EXTENSION

1717-8



1788-8

CHICAGO 14, ILLINOIS, U.S.A. TELEPHONE DIVERSEY 8-2114

OIL ATURE ELECTRICEGER and LAB. CANS

THE STANDARD OF INDUSTRY


for fire prevention in the factory

JUSTRITE OILY WASTE CANS

Prevents fires due to solvent and oily waste, rags and other spontaneous combustible material. Designed for maximum circulation of air under bottom and around sides. Can is cooled even if placed in corner. Cover opens to an angle of 60 degrees and falls back when released. Made of No. 22 and 24 gauge steel, heavily coated with lead or zinc. Legs 4" high, handle 3".

- Approved and Individually Labeled and Numbered, Underwriters' Laboratories, Inc.
- Approved, Associated Factory Mutual Fire Ins. Cos.
- Complies with all major requirements of U. S. Govt. Fed. Spec. No. RR-C-114-b.

WITH FOOT LEVER TO LIFT COVER										
Capacity	Body Diam.	Size Height	No. in Carton	Ship Wt.	Model No.	List Pr. Each				
6 Gal.	113/4"	13"	1	11 lbs.	9-100	\$11.40				
10 Gal.	131/2"	15"	1	14 "	9-300	12.40				
14 Gal.	151/2"	17"	1	17 "	9-500	15.00				
25 Gal.	19"	201/2"	1	25 "	9-700	28.00				
WITHOUT	FOOT L	EVER;	LIFT CO	OVER BY	HAND					
6 Gal.	113/4"	13"	1	9 lbs.	9-110	\$10.40				
10 Gal.	131/2"	15"	1	12 "	9-310	11.40				
25 Gal.	19"	201/2"	1	23 "	9-710	26.00				
40 Gal. Note:	22'' 25 and 40	25" Gal. siz	es, not	36 " shipped in		36.00				



JUSTRITE IMPROVED PLUNGER CANS

Use in all cleaning and sponging applications for safely dispensing flammable liquids. Interior parts brass; bodies steel, lead coated. Plunger may be adjusted to control amount of liquid used. Large cover allows easy access to inside of can to remove dirt and grit. For safety actual capacity is about 20% greater than rated capacity.

Approved, Associated Factory Mutual Fire Ins. Cos.

Capacity	Diam.	Size Height	No. in Carton	Ship Wt.	Model No.	List Pr. Each
1 Quart	71/4"	41/2"	1	21/2 lbs.	10108	\$ 7.00
½ Gal.	71/4"	61/2"	1	3 "	10208	7.60
1 Gal.	71/4"	91/4"	1	31/2 "	10308	9.60
Replacement	Parts for	Plunger (Cans		List	Pr. Each
) . 	
11151 A	djusting N	lut (for	all sizes)		15
111 <i>57</i> P	lunger Spr	ing for I	No. 1020	08 and 10	308	15



JUSTRITE LABORATORY CAN

Approved, Associated Factory Mutual Fire Ins. Cos.

For economy, convenience, safety. Use whenever flammable liquid is stored where it is being used. Justrite 5 Gal. Safety Can, with self closing, Factory Mutual Approved, Safety Faucet (Imperial No. 270-G, Cast Bronze) in a ¾ " bushing on side above bettom sagm. With Flesh Argestics Savery above bottom seam. With Flash Arresting Screen in fill opening of can.

Specifications	Material	Number	List Pr. Ea.
5 Gal. Laboratory Can with	Terne Plate	10809	\$ 25.00
Flash Arresting Screen with	Hot Tin Dipped	10849	34.00
Approved Faucet	316 Stainless Steel	10869	48.00
Safety Screen, replacement	Cadmium Plated	11099	1.00
for fill opening of can	316 Stainless Steel	11097	3.75
Self Closing Safety Faucet Factory Mutuals Approved	Cast Bronze Imperial No. 270-G	11270	9.00

JUSTRITE BENCH and DRIP CANS

Approved, Associated Factory Mutual Fire Ins. Cos.

JUSTRITE BENCH CAN for washing and cleaning parts used in assembly operations. Parts to be cleaned are placed in parts basket on top of perforated dasher, or directly on the perforated dasher

JUSTRITE DRIP CAN to place under faucet of barrel or drum to prevent drip from faucet reaching floor.



DRIP CAN



10.370

	Capo Min.	Max.	Body Diam.	Size Height	No. in Carton	Ship. Weight	Model No.	List Pr. Each
BENCH CAN DRIP CAN	½ Gal.	1 Gal. 1 "	93/8'' 93/8''		1	4¾ lbs. 4½ "		

JUSTRITE

for the safe handling of flammable liquids

THE STANDARD OF INDUSTRY

WHY YOU SHOULD USE A SAFETY CAN

The only cans safe to use for flammable or highly volatile liquids are those which are labeled by, or have stamped on them the insignia of, the organization which tested and approved them. Cans designed for safety will not tip over if placed on an incline of thirty degrees; if placed on their side they will not leak more than four drops a minute; if thrown in a fire they will not explode, the liquid will be safely contained until completely vaporized.

There is a difference between many so-called safety cans, and cans designed for safety that have been tested and approved by an authorized organization. Get a genuine safety can and avoid a possible catastrophe. Type I is the conventional design with short valved spout used to both pour and fill. Type II pours through a flexible tubular nozzle attached to a valved spout and is known as a "filling can".

"Remember five gallons of gasoline explode with as much force as 415 lbs. of dynamite"

— U.S. Army Engineers.









PINT QUART SPOUT 1" I.D.

HALF GALLON GALLON SPOUT 158" I.D.



TWO GALLON

THREE GALLON
SPOUTS 15%" INSIDE DIAMETER

FIVE GALLON



TYPE 2 JUSTRITE FIVE GALLON SAFETY FILLING CAN

Built-in Connections for Flexible Hose Nozzle. Separate Filler Opening.



POURING ATTACHMENT NO. 11088 ON TYPE I JUSTRITE SAFETY CAN

May be quickly attached or removed. Avoid spilling in places difficult to reach.

WHY YOU SHOULD USE A JUSTRITE SAFETY CAN

Bodies are ribbed for extra strength. Made of copper bearing steel heavily coated (15 lb.) with lead. The Justrite method of manufacture does not stretch or burn the material and insures an "all over" lead coating of maximum uniform thickness, both outside and inside; gives longer life. Even if Can is wrapped in flames, seams remain tight until fire evaporates contents.

Self aligning cover and cover spring are mounted on the heavy cast spout. Even if Can is abused and handle broken, cover remains tight. Pouring lip on spout permits pouring small stream and serves as "hook" to support Can and ground any static charge before pouring.

Two, three and five gallon Cans have a heavy reinforcing time ground bettom and a swing handle. Pick up carry

Two, three and five gallon Cans have a heavy reinforcing ring around bottom and a swing handle. Pick up, carry with one hand, pour without first placing on ground to get a different grip. Saves time; reduces fatigue.

JUSTRITE SAFETY CANS, TYPES I and II

- Approved and Individually Labeled and Numbered Underwriters' Laboratories, Inc.
- Flash arresting screens or baffles are not required.

 Approved, Associated Factory Mutual Fire Ins. Cos.
 Cans larger than 1 gal. used for solvents and thinners, should have flash arresting screen.
- Approved, New York City Fire Dept., Approval No. 92.
 Flash arresting screens or baffles are required.
- Meets U. S. Fed. Spec. RR-S-30 (RR-C-92).
 When equipped with screen.

JUSTRITE FLASH ARRESTING SCREENS dissipate heat quickly and do not retard pouring. They are held in the one piece cast spout with a heavy lock ring and cannot fall out or be shaken out. They can be removed for cleaning as required by Underwriter's Laboratories, Inc.

JUSTRITE SAFETY CANS, "TYPE I," conventional design with short valved spout used to pour and fill

ID LB. IER	LB. TERNE PLATE		No.	CL:	List Pr.			List Pr.	
Capacity	Diam.	Height	in Carton	Ship. Wt.	No.	Each.	No.	Each.	
1 Pint	45%''	63/4"	6	12 lbs.	10000	.\$5.80	10001	.\$6.80	
1 Quart	45/8"	81/4"	6	14 "	10100	. 6.00	10101	. 7.00	
½ Gal.	71/4"	83/8"	6	19 "	10200	. 6.80	10201	. 7.80	
1 Gal.	71/4"	111/2"	6	24 "	10300	. 7.20	10301	. 8.20	
2 Gal. *	93/8"	12%"	1	7 "	10500	. 9.00	10501	.10.00	
3 Gal.	93/8"	161/8"	1	8 "	10700	. 9.40	10701	.10.40	
5 Gal. *	111/2"	17"	1	9 "	10800	.10.40	10801	.11.40	
IMPERIAL	MEASL	JRE CAN	S FOR	USE IN	CANADA				
1 Imp. G	al. 71/4"	12%"	6	27 "	10400	. 7.60	10401	. 8.60	
5 Imp. G	al. 111/2	" 19"	1	10 "	10900	.11.20	10901	.12.20	
*This	Can tes	sted an	d Annr	oved h	v Rell Tel	enhone	Laborat	ories	

*This Can tested and Approved by Bell Telephone Laboratories.

Justrite Safety Cans are Approved for Bell System Use.

JUSTRITE SAFETY CANS ARE AVAILABLE HOT TIN DIPPED. To order add
"HT" after the MODEL NUMBERS in the tables above.

JUSTRITE SAFETY CANS, STAINLESS STEEL TYPE I

NO. 316	SIAINLE	:55 (UNP	AINI	ED) BES	T TO STOR	E CORR	COSIVE LI	QUIDS.
1 Quart	45%"	81/4"	6	14 lbs.	10162	\$22.00	10163	\$25.20
1 Gal.	71/4"	111/2"	6	24 "	10362	26.00	10363	29.75
5 Gal.	111/2"	17"	1	9 "	10862	36.00	10863	39.75

JUSTRITE SAFETY FILLING CANS, "TYPE II," pours thru flexible tubular nozzle attached to valved spout

With "Built In" Connection for Flexible Hose. With Flexible Hose 1 in. diam., 12 in. long.

3 Gal. 11½" 13½" 1 10 lbs. 10721..\$21.00 5 Gal. 11½" 17" 1 12 " 10820...\$20.00 10821.. 22.00

POURING ATTACHMENT FOR "TYPE I" CANS QUICKLY ATTACHED OR REMOVED

Use on Justrite Type I Cans, ½ Gal. and larger. 3" Brass Cup with 100 mesh strainer. With flexible hose ¾ " x 9½" long. No. 11088......\$3.80

SAFETY SCREENS, WASHERS, SPRINGS, PARTS

SAILII SCRLLINS, WASIILKS, SIKING	J, IMNIS
TYPE I CANS For Pt. and Qt. Sizes No. List Pr. Each	For 1/2 Gal. and larger No. List Pr. Each
Treated Leather Washer 11022 15 Spout Cover Spring 11024 20	11097\$3.75 110991.00 110011.00 1100220 1100420 11007.½&1G.30
Handle with Spring, for 2, 3 and 5 gal. cans	11011
Set of two Screens for Safety Filling Can Flexible Hose Replacement for Safety Filling Can Air Vent for Safety Filling Can	11072 2.00 11077 2.40 11035 1.00

STURE ELECTRICAGO

THE BRIGHTEST NAME IN LIGHTS

head lamps, accessories and caps

JUSTRITE IMPROVED CARBIDE HEAD LAMP WITH BRILLIANT BURNER TIP



Number

2-888 JUSTRITE CARBIDE HEAD LAMP

Enclosed flame lamp. Housing has reflector and two lenses, one a bull's eye, and darkening door for use when total darkness is desired. Burner with brilliant new tip No. 5-867 is removable; can be used as a gas jet for interior lighting. Furnished complete with headstrap, to hold lamp on head, and canvas belt to hold generator at waist.

List Price Each..... \$12.80

Domestic packing;

1 in carton, shipping weight about 21/2 lbs.

Export packing extra; charged for at cost. 100 in wirebound box, weight about 295 lbs.

THE FINEST CARBIDE HEAD LAMP MADE

Designed for rugged use in forests, jungles, swamps and used where unfailing light is absolutely necessary for protection and to accomplish your purpose. Burns about 8 hours on 8 ounces of Miners Lamp Carbide (1/2" lumps) and water. Equipped with self lighter attachment. Generator is steel, lacquered black, and worn on belt furnished with lamp. Water feed is automatic and valve stem can be taken out and cleaned and lamp continues to burn. Generator is attached to head lamp by means of high quality, long wearing rubber hose, covered at ends with coiled springs to prevent kinking. Brilliant new burner tip gives a more powerful light beam.

REPLACEMENT AND REPAIR PARTS

Number	Description	List Price Each Numb	Description	List Price Each
5-158	Ferrule for 5-159 Valve Stem		Headstrap	
5-159	Valve Stem		Rubber Hose	
5-172	Flints, 1 in capsule, per capsule	5.800	Belt to hold Generator	
5-177	Lighter Complete		Bulls Eye Lens with frame	
5-520 5-530 5-561	Felt Packing		Darkening Door	
5-801	Generator, Complete	5.60 5-867	Brilliant Fish Tail Burner Tip	
5-802	Bottom for Generator	1.50	Head Lamp	4.50
5-803	Pins to hold rubber hose to cap. Pair		Reflector	
5-805	3" Lens, convex		Tube with Tip	1.50

JUSTR	RITE ACCESSORIES AND	CAPS	FLINTS AND LIGHTER PARTS				
Number	Description	List Price Each	Number	Description	List Price Each		
5-012	Carbide in 2 lb. can, per can	\$1.00	5-172	Flints, 1 in capsule, per capsule			
5-015 5-037	Empty Wood Tube to hold reamers Tip Cleaner with sliding covers Match Box — Waterproof		5-173 5-174	Spring to push flint			
5-075 5-244 5-245	Men's Canvas Caps, adjustable Reamers in tubes of 12 per tube	1.50	5-175 5-176	Sparker Wheel			
5-248 5-650	Reamers in bulk		5-177 5-182	Lighter Complete			


JUSTRITE

for bright, white light at low cost

THE BRIGHTEST NAME IN LIGHTS

JUSTRITE CARBIDE LAMPS

are safe, reliable, and produce a bright white light at a low cost. Easy to operate and maintain, they are used out of doors where light is required for several hours at a time and cost of operation is an important factor.



JUSTRITE EIGHT HOUR CARBIDE HAND LAMPS

Automatic Feed — Equipped with Flame Protector. Justrite automatic water feed generators are the only generators in which the valve stem can be taken out and cleaned and the light continues to burn. Made of brass, highly polished, except No. 2-500 which is steel, tinned. Brass lamps are reinforced at bottom with steel, cadmium plated. Reflectors have self-lighter attachments, and are highly polished and chrome plated; 4" diam. except on No. 2-571 which is 7" diam., nickel plated. Burn about 8 hours on 8 ounces of Miners Lamp Carbide (½" lumps); flame bright and steady, protected from wind by flame protector.


Model Number	Type of Handle	Domestic in shipping	Packed one in Cardboar Domestic Packing *Expo in shipping carton Quantity Weight Quantit			List Price Each	
2-500†	Bail & Hook	24	44 lbs.	100	185 lbs.	\$6.00	
2-501	Bail & Hook	24	44 lbs.	100	185 lbs.	6.40	
2-561	Back Handles	24	36 lbs.	100	170 lbs.	6.95	
2-571	Back Handles	12	26 lbs.	144	340 lbs.	7.45	
†S	teel	*Export	packing	extra;	charged fo	r at cost	

REPLAC	EMENT PARTS Additional Accessories and Parts on Page 14	ļ.
Number	Description List Price E	ach
	Jewel" Burner Tip\$ "' Reflector, with lighter	
		.10
	The second secon	.04
5-197 W		.10 .10
		.30
5-530 Fo 5-554 R	elt Holder for No. 5-520 Felteflector Brace	.05 .15 .05

JUSTRITE FOUR HOUR CARBIDE CAP LAMPS

Streamlined, made of brass, 4" high, 2" diam. at bottom; highly polished and lacquered. Reflectors have self-lighter attachments and are steel highly polished and chrome plated; 7 inch reflectors are brass, nickel plated. Burn about 4 hours using 3¼ ounces of Miners Lamp Carbide (½" lumps) and water. Water feed may be regulated to get size of flame desired. Air cooled rubber grip on bottom makes lamp easier to handle.

Model Number	Reflec- tor Diam.	Domestic in shippin Quantity		*Export in wire bo Quantity	Packing ound case Weight	List Price Each	
WITH RC	NOOH DANG	TO ATTA	CH LAMP	TO CAP			-
2-810 2-840 2-870	2½" 4" 7"	12 12 12 *E:	7 lbs. 8 lbs. 14 lbs. xport pack	500 342 144 sing extra;	310 lbs. 270 lbs. 225 lbs. charged f	\$3.40 3.70 4.95 or at cost	5
WITH FL. 2-844	AT HOOK, 1	3/4" WIDE,		H LAMP TO	"HARD" S	3.70	
REPLAC Number		ARTS A	dditional A	accessories a		Page 14 Price Each	
5-128 ⁷ 5-136 7	'Jewel'' Bu ''' Reflector	rner Tip with Lig	hter			\$.10)
5-177 L				e			
5-185 \ 5-197 \	Water Door Wing Nut t	o hold Re	flector	• • • • • • • • • • • • • • • • • • • •		30)
5-602 2 5-604 4 5-620 F 5-630 F	2½" Reflect " Reflector elt Packing elt Plate fo	or with li with ligh or No. 5-6	ghter ter 520 Felt .			90	1
5-650 C 5-662 R	Clip to hold	lamp on	cap			25	
5-698 R	eflector Bro	ace				05	



ATURE ELECTRICAGO



Phone: Diversey 8-2114 Cable: "JUSTRITE"

JUSTRITE MANUFACTURING COMPANY 2061 NORTH SOUTHPORT AVENUE CHICAGO 14, ILLINOIS

Branch Office: NEW YORK CITY

JUSTRITE MANUFACTURING COMPANY

PRICE LIST NO. 590-C — FOR USE WITH CATALOG NO. 589

Effective November 16, 1959

Model No.	List Pr. Each	Model No. List F	r. Each Model	No. List Pr. Each			
PAGE 2		PAGE 7		PAGE 13			
Pendragon Lante	rns, Etc.	"Twin-Bulb" Lanterr	ıs	Safety Cans—Type I			
2401-4 2404-3 20159 Strap 2401-5 2404-5	\$22.95 23.95 1.40 25.95 25.95	2140-1 2141-2 2140-3 2140-5 2037* Bulb Covers	\$ 5.80	7.20 6.40 7.40			
20213 Bracket 20214 Bracket 2404-9 20023 Battery 2411-1	4.80 5.40 P.O.R. P.O.R. 7.95	2172-1 2172* 2172-6 20135 Shield 20022 Battery	7.35 10201 9.95 10300 9.00 10301 3.00 10500 P.O.R. 10501	8.40 9.40 10.60			
2411-6	8.95	20025 Battery PAGE 9	P.O.R. 10700 10701 10800	11.00 10.40			
PAGE 3		See Complete List of Parts	10801	11.60			
General Use I		and Accessories on Back (over)		Imperial Measure			
2209-1 2434-3 20019 Battery	\$ 5.95 P.O.R. 2.76		10400 10401 10900 10901	9.00			
2299-0 2305-1	4.95 4.75	20182 Hook 1708-8 Disco	.20 ntinued	Stainless Steel			
2305-4 2301-3	5.25 4.25	Special Purpose Ligh Please write for complete specifications and availability.	10162 10163 10362 10363 10862	26.20 27.00 30.75			
PAGE 4		PAGE 11	10863	42.75			
Light-Stick Li	ghts	Safety Hand Lights	1	Type II—Filling Cans			
2106-4 2105-4 2105-6 2151-1	P.O.R. 5.95 5.95 P.O.R.		5 5.75 10721 .25 10820 17.95 10821	22.00 21.00 23.00			
2155-1 2155-2 20011 Battery 20224 Bulb 20156 Lanyard	2.25 2.70 .22 .17 .40	1729-8—Spl. Length 1744-8 1744-7 1746-8	8.95 18.00 10.00	Pouring Attachment 3.80 reens, Washers, Parts			
2142-6	7.45 2.00	1788-8	11096	3.20			
20590 Reflector 2037* Bulb Covers	.20	PAGE 12	11097 11098	3.75 1.00			
		Oily Waste Cans	11099 11021	1.20			
PAGE 5 Electric Headl	ights	9-300 9-500 9-700	12.50 15.00 11002 11002 11002	1.00 .15 .20			
1903-6 1904-4 1903-2 1904-2	\$ 5.95 4.95 4.30 2.95	9-110 9-310 9-710 9-910	10.40 11.40 26.00 36.00 11007 11011	.20 .30 .30 .70			
1911-2 1911-4	3.50 5.50	Plunger Cans	11072 11077	2.00 2.40			
1983-1 1989-1	6.95 8.95	10208 10308 11150 Pan	7.50 7.90 9.80 1.30	PAGES 14 & 15			
PAGE 6		11151 Nut 11152 Spring	.15	Carbide Head Lamp			
Inspectors Lig	Description of the last	11157 Spring	.15 2-888	\$12.80			
2434-4	P.O.R.	Laboratory Can		Carbide Cap Lamps			
2434-6 2434-3 20019 Battery 20159 Strap	P.O.R. P.O.R. 2.76 1.40	10809 10849 10869 11099 Screen 11097 Screen	325.00 2-810 34.00 2-840 52.00 2-870 1.20 2-844 3.75	3.40 3.70 4.95 3.70			
2131-1 2121-1	7.50 8.95	11270 Faucet	9.00	arbide Hand Lamps			
2219-2 2107-6 5-809 Belt 1903-5	5.95 4.95 .52 6.25	Bench and Drip Can	2-500 2-501 312.00 2-561 9.00 2-571	6.00 6.40 6.95 7.45			

NOTE: Parts and Accessories for Electric Lights and Lanterns and for Carbide Lamps are listed, in Numerical Order, on other side. For Items marked P.O.R. (Price On Request) please write for information.

JUSTRITE MANUFACTURING COMPANY

PRICE LIST NO. 590-C — FOR USE WITH CATALOG NO. 589

Effective November 16, 1959

Part No.	List Pr. Each	Part No.	List Pr. Each	Part No.	List Pr. Each
DACE	C 14 0 15	20034	.20	20326	.15
PAGE	S 14 & 15	20037	P.O.R.	20329	.50
Darte an	d Accessories	20040	.80	20332	.40
		20046	.80	20354	1.00
For Ca	rbide Lamps	20049	1.00	20357	2.00
		20052	.80	20360	.50 .90
5-012	\$ 1.15	20058	.30	20363 20372	.20
5-015	.08	20061	.15	20372	.20
5-037	.32	20063	.60	20374	.20
5-075	.40	20067	.75	20375	.20
5-128	.10	20070	1.40	20382	2.64
5-136	2.40	20073	1.00	20383	2.64
5-158	.10	20076	.10	20384	2.64
5-159	.40	20078	1.50 2.00	20385	2.64
5-172	.04	20079 20081	1.60	20386	2.00
5-173	.02	20082	1.80	20391	.05
5-174 5-175	.06	20099	.27	20394	.08
5-176	.12	20077		20397	.20
5-177	.25				
5-180	.10	20111	.40		
5-182	.02	20117	.60	20400	.40
5-185	.30	20120	1.00	20421	.10
5-197	.10	20123	1.00	20424	.20
5-244	1.50	20125	1.00	20427	.25
5-245	.80	20129	.20	20430	.20
5-248	.07	20132	.40	20433	.20
5-505	1.10	20135	3.00	20441	.10
5-510	1.30	20141	1.00	20447	.30
5-511	1.80	20147	.40	20450	.12
5-520	.05	20150	.10	20453 20461	.10
5-530	.15	20153	1.00	20467	.25
5-554	.05	20156	.40 1.40	20470	.30
5-561	.06	20159 20164	.40	20473	.40
5-600	.04	20167	.80	20481	.20
5-602 5-604	1.00	20170	.30	20487	.40
5-620	.03	20173	.45	20490	1.00
5-630	.03	20179	.10	20493	.80
5-640	.10	20182	.20	20496	.40
5-650	Discontinued	20194	.80		
5-662	.12	20197	1.00	20501	50
5-669	.80			20501 20503	.50
5-690	.04		10	20521	.05
5-698	.05	20200 20203	.60 1.00	20524	.05
5-801	5.60 1.50	20204	.25	20530	.10
5-802	.10	20206	1.40	20551	.25
5-803	.12	20213	4.80	20554	.60
5-805 5-807	.86	20214	5.40	20557	.10
5-808	.62	20221	Pkg. 1.70	20560	.30
5-809	.52	20224	Pkg. 1.70	20563	.30
5-810	.70	20227	Pkg. 2.00	20566	.30
5-811	.40	20230	Pkg. 2.00	20569	.30
5-812	.35	20233	Pkg. 1.70	20581	.35
5-816	.16	20236	Pkg. 1.70	20584	.50
5-867	.70	20239	Pkg. 2.00	20587	.80
5-881	4.50	20242	Pkg. 2.00	20590	2.00
5-883	.42	20245	Pkg. 1.70	20593	.30
5-884	1.50	20248	Pkg. 1.70	20596	.10
		20250	Pkg. 2.50		
		20251	Pkg. 1.70	20611	.60
		20254	2.50 2.85	20614	.60
P	AGE 9	202 <i>57</i> 202 <i>6</i> 3	Pkg. 12.50	20617	.30
		20264	Pkg. 12.50	20620	.45
	nd Accessories	20271	Pkg. 2.00	20625	.65
For El	ectric Lights	20274	Pkg. 2.00	20626	.70
		20277	Pkg. 1.70	20628	2.40
20011	.22	20293	Pkg. 5.00	20631	1.00
20012	.82	20295	Pkg. 2.50	20634	2.20
20014	.22	20099	Pkg. 2.70	20635	.20
20017	1.32			20638	.20
20019	2.76	00011	100	20644 20661	2.60
20022	P.O.R.	20311	1.00	20664	.10
20023	P.O.R.	20314	1.00 1.00	20667	.60
20025	P.O.R.	20317 20320	1.20	20670	.10
20026	P.O.R. 2.00	20323	.10	20673	1.80
20031	2.00	20020			

JUSTRITE PRICE LIST NO. 590

NUMERICAL LIST OF NEW CATALOG NUMBERS WITH THE CORRESPONDING OLD NUMBERS

CARBIDE LAMPS	New Cat.	Old Cat.		List Price	Ship. Wt. & Quan. () of	New Cat.	Old Cat.		List Price	Ship. Wt. & Quan. () of
Section Sect			Description					Description		
Section Sect	CADDID	E I AMI	20			5-809	5-33A9	Belt, adi.	.52	
2-501	CARDID	E L'AIVII	13			5-810	5-88A10			
2-561	2-500									
2-571 2-57E Heal Limp 7.45 28 (12) 2-810 2-810/R Cap Lamp 3.70 8 (12) 2-840 2-840 2-840 Cap Lamp 3.70 8 (12) 2-840 2-870 2-570 Cap Lamp 4.55 14 (12) 2-883 2-888 1										
Section Sect						2-010	J-00WI0	Retaill, Wife	.10	
2-810	2-3/1	Z-3/E	naliu Laliip	7.43	20 (12)	5-867	5-67	Burner Tin	70	
2-840	2.810	2-810R	Can Lamn	3.40	7 (12)					
Parts and Accessories for Carbide Lamp 1.95 1.4 (12)										
Parts and Accessories for Carbide Lamps						5-884	5-88B4	Tube & Tip	1.50	
Parts and Accessories for Carbide Lamps										
Section Sect	2-000	Z-00D	neau Lamp	12.00	272 (1)	OILY W	IASTE CI	ANS		
Section Sect	Parts a	nd Acc	essories for Carbid	e Lamps		0.100				
Solid Soli					EQ (24)					
Solit Soli					33 (24)					
S-128 S-28 Burner Tip .10 9-700 9-7 25 Gallon 28.00 25 (1)									11.40	12 (1)
Signature Sign						9-500	9-5	14 Gallon	15.00	17 (1)
Signature Sign	5-128	5-28	Burner Tip	.10		0.700	0.7	0F 0-II	00.00	05 (1)
S-158	E 120	E SCUE	7" Dofl'te	2.40						
Safety Cans										
SAFELY CANS Spring										
5-174						CAFETY	CANC			
5-175 5-175 Wheel	5-173	5-173	Spring	.02		SAILII	UNITO			
5-175 5-176 Fork 12 10001 1001 1 Same, with screen 7.20 12 (6) 5-176 5-176 Fork 12 10100 1010 1 Quart 6.40 14 (6) 5-177 5-177 Lighter Comp. 2.5 10101 1011 Same, with screen 7.40 14 (6) 5-177 5-180 5-180 Protector .10 10108 1081 Plunger Can - 1 Qt. 7.50 32 (12) 14 (6) 5-185 5-182 Hex. Nut .02 10162 10SS10 Starls. Stl1 Qt. 23.00 14 (6) 5-185 5-184 Water Door .30 10163 10SS11 Same, with screen 26.20 14 (6) 5-197 5-197 Wing Nut .10 10200 1020 1020 122 Same, with screen 8.20 19 (6) 5-244 5-244 Carwas Cap 1.50 10201 1021 Same, with screen 8.20 19 (6) 5-245 5-245 Ream'r - Tube of 12 .80 10208 1082 Plunger Can - 1/2 gal. 7.90 36 (12) 15-25 5-25 5-25 4 Ream'r - Tube of 12 .80 10208 1082 Plunger Can - 1/2 gal. 7.90 36 (12) 15-510 Sottom - Stl. 1.30 10301 1031 Same, with screen 8.20 4 (6) 5-500 5-505 4 Refl'tr. 1.10 10301 1031 Same, with screen 8.40 24 (6) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1/2 gal. 7.90 36 (12) 15-511 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-511 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1033 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1033 Plunger Can - 1 gal. 9.80 4 (1) 5-510 Sottom - Stl. 1.30 10308 1033 Plunger Can - 1 gal. 9.80 4 (1) 5-510 So	5-174	5-174	Screw Cap	.04		10000	1000	1 Pint	6.20	12 (6)
S-177 S-180 S-180 Protector S-180 Discontinued S-180 S-180 Protector S-180 Discontinued Discontinus Discontinued Discontinus Discontinued Discontinued Discontinued Discontinued Discontinued Discontinued Discontinued Discontinus Discon				.06		10001	1001	Same, with screen		
S-180 S-180 Protector S-180 S-182 Hex. Nut S-182 S-182 Hex. Nut S-182 S-183 Hex. Nut S-182 S-183 S-184 Water Door S-190 S-197 Wing Nut S-1						the state of the s				
5-182 5-182 Hex. Nut										
5-185 5-184 Water Door 30 10163 10SS11 Same, with screen 26.20 14 (6) 5-197 5-197 Wing Nut 1.10 10200 1020 1020 32 32me, with screen 8.20 19 (6) 5-244 5-244 5-244 5-244 6.244 5-245 8-8am'r - Tube of 12 .80 10201 10201 32 32me, with screen 8.20 19 (6) 5-245 5-245 8-8am'r - Tube of 12 .80 10201 10201 1021 32me, with screen 8.20 19 (6) 5-245 5-245 8-8am'r - Tube of 12 .80 10201 10201 10201 32me, with screen 8.20 19 (6) 5-245 5-245 8-8am'r - Tube of 12 .80 10201 10302 10302 10302 10302 10302 10302 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 10303 1030	3-100	2-100	Fiotector	.10		10100	1001	Tiuliger Call - 1 Qt.	7.50	32 (12)
5-197 5-197 Wing Nut	5-182	5-182	Hex. Nut	.02		10162	10\$\$10	Stn'ls. Stl 1 Qt.	23.00	14 (6)
5-244 5-244 5-245 Ream'r - Tube of 12 .80 10201 1021 Same, with screen 8.20 19 (6) 5-245 5-245 Ream'r - Tube of 12 .80 10208 1082 Plunger Can - 1/2 gal. 7.90 36 (12) 5-248 5-248 Ream'rs - Blk. .07 10300 1030 1031 Same, with screen 8.40 24 (6) 5-505 5-505 4" Refi'tr. 1.10 10301 1031 Same, with screen 8.40 24 (6) 5-510 5-51D Bottom - Stl. 1.30 10362 108330 Stn's. Stl 1 gal. 27.00 24 (6) 5-520 5-52 Felt .05 10363 105831 Same, with screen 30.75 24 (6) 5-530 5-53 Fit. Holder .15 10370 New Bench Can 12.00 5 (1) 5-544 Reff. Brace .05 10376 New Drip Can 9.00 4/2 (6) 5-554 Reff. Brace				.30					26.20	
5-245 5-245 Ream'r - Tube of 12 .80 10208 1082 Plunger Can - ½ gal. 7.90 36 (12) 5-248 5-248 Ream'rs - Blk. .07 10300 1030 1 Gallon 7.20 24 (6) 5-505 5-505 4" Refl'tr. 1.10 10301 1031 Same, with screen 8.40 24 (6) 5-510 5-51D Bottom - Stl. 1.30 10382 Plunger Can - 1 gal. 9.80 4 (1) 5-511 5-51E Bottom - Stl. 1.30 10383 10833 Stris. Stl 1 gal. 27.00 24 (6) 5-520 5-52 Felt .05 10363 108331 Same, with screen 30.75 24 (6) 5-530 5-53 Flt. Holder .15 10370 New Bench Can 12.00 5 (1) 5.554 5-54 Refl. Brace .05 10376 New Drip Can 9.00 4½ (1) 5.561 Gasket .04 10401 1030-M 0ne Imperial Gallon 7.80						The second secon				
5-248 F-248 Ream'rs - Blk. .07 10300 1030 1 Gallon 7.20 24 (6) 5-505 5-505 5-505 4" Refl'tr. 1.10 10301 1031 Same, with screen 8.40 24 (6) 5-510 5-51D Bottom - Brass 1.80 10362 10833 Plunger Can - 1 gal. 9.80 4 (1) 5-510 5-51D Bottom - Brass 1.80 10362 108330 Stn'ls. Stl 1 gal. 27.00 24 (6) 5-520 5-52 Felt .05 10363 108331 Same, with screen 30.75 24 (6) 5-530 5-53 Fit. Holder .15 10370 New Bench Can 12.00 5 (1) 5-540 5-530 5-53 Fit. Holder .15 10370 New Drip Can 9.00 4½ (1) 5-561 5-61 Gasket .06 10400 1030-M One Imperial Gallon 7.20 27 (6			•			The second secon				
5-505 5-505 4" Refl'tr. 1.10 10301 1031 Same, with screen 8.40 24 (6) 5-510 5-51D Bottom - Stl. 1.30 10308 10838 Plunger Can - 1 gal. 9.80 4 (1) 5-520 5-52 Felt .05 10362 10833 Stn's. Stl 1 gal. 27.00 24 (6) 5-520 5-52 Felt .05 10363 10SS31 Same, with screen 30.75 24 (6) 5-530 5-53 Fit. Holder .15 10370 New Bench Can 12.00 5 (1) 5-54 5-254 Refl. Brace .05 10376 New Drip Can 9.00 4½ (1) 5-561 5-61 Gasket .06 10400 1030-M One Imperial Gallon 7.80 27 (6) 5-602 5-500 2½ "Refl. .90 10401 1031-M Same, with screen 9.00 27 (6) 5-602 5-504 4" Refl'tr. 1.00 10501 <td< td=""><td>3-243</td><td>3.243</td><td>Reality Tube of 12</td><td>.00</td><td></td><td>10200</td><td>TA STREET</td><td>Tranger out /2 gai.</td><td>7.50</td><td>30 (12)</td></td<>	3-243	3.243	Reality Tube of 12	.00		10200	TA STREET	Tranger out /2 gai.	7.50	30 (12)
S-510 S-51D Bottom - Stl. 1.30 10308 1083 Plunger Can - 1 gal. 9.80 4 (1)	5-248	5-248	Ream'rs - Blk.	.07			1030	1 Gallon	7.20	24 (6)
5-511 5-51E Bottom - Brass 1.80 10362 10S330 Stn'ls, Stl 1 gal. 27,00 24 (6)										
5-520 5-52 Felt										
5-530 5-53 Fit. Holder .15 10370 New Bench Can 12.00 5 (1) 5-554 5-254 Refl. Brace .05 10376 New Drip Can 9.00 4½ (1) 5-561 5-61 Gasket .06 10400 1030-M One Imperial Gallon 7.80 27 (6) 5-600 5-60 Gasket .04 10401 1031-M Same, with screen 9.00 27 (6) 5-602 5-500 2½" Refl90 10500 1040 2 Gallon 9.40 7 (1) 5-604 5-504 4" Refl'tr. 1.00 10501 1041 Same, with screen 10.60 7 (1) 5-620 5-62 Felt .03 10700 1050 3 Gallon 9.80 8 (1) 5-630 5-63 Fit. Plate .03 10701 1051 Same, with screen 11.00 8 (1) 5-650 5-65 Lamp Clip Discontinued 10800 1060 5 Gallon 10.40 9 (1) 5-662 5-662 Rubber Grip .12 10801 1061 Same, with screen 11.60 9 (1) 5-690 5-190 Cap Spring .04 10820 1068 Laboratory Can 25.00 10 (1) 5-698 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10862 10869 Str'ls. Stl5 gal. 39.00 9 (1) 5-802 5-33A2 Bottom 1.50 10869 10868 Laboratory Can 34.00 10 (1) 5-803 5-33A3 Hose Pins, Per Pr10 10869 10858 Str'ls. Stl5 gal. 39.00 9 (1) 5-805 5-885 3" Lens .12 10869 10858 Str'ls Stl. Lab. Can 52.00 10 (1) 5-805 5-885 3" Lens .12 10869 10858 Str'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-8857 5-8857 3" Lens .12 10869 10858 Str'ls Stl. Lab. Can 52.00 10 (1)								Same with screen		24 (6)
5-554 5-254 Refl. Brace .0.5	0 020		1011					ounte, with coroon	00.70	24 (0)
5-561 5-61 Gasket .06 10400 1030-M One Imperial Gallon 7.80 27 (6) 5-600 5-60 Gasket .04 10401 1031-M Same, with screen 9.00 27 (6) 5-602 5-500 2½" Refl. .90<	5-530	5-53				10370	New		12.00	5 (1)
5-600 5-60 Gasket .04 .90 .90 .90 .90 .70 .66 .90										
5-602 5-500 2½" Refl90 10500 1040 2 Gallon 9.40 7 (1) 5-604 5-504 4" Refl'tr. 1.00 10501 1041 Same, with screen 10.60 7 (1) 5-620 5-62 Felt .03 10700 1050 3 Gallon 9.80 8 (1) 5-630 5-63 Fit. Plate .03 10701 1051 Same, with screen 11.00 8 (1) 5-640 5-64 Fit. Holder .10 10721 1056 Type 2 Can - 3 gal. 22.00 10 (1) 5-650 5-65 Lamp Clip Discontinued 10800 1060 5 Gallon 10.40 9 (1) 5-662 5-662 Rubber Grip .12 10801 1061 Same, with screen 11.60 9 (1) 5-669 5-965 Bottom .80 10809 1068 Laboratory Can 25.00 10 (1) 5-690 5-190 Cap Spring .04 10820 1065 Type 2 Can - 5 gal. 21.00 12 (1) 5-693 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10849 1068-HT Hot Tinned Lab. Can 34.00 10 (1) 5-802 5-33A2 Bottom 1.50 10863 10866 Stn'ls. Stl 5 gal. 39.00 9 (1) 5-803 5-33A3 Hose Pins, Per Pr10 10863 108561 Same, with screen 42.75 9 (1) 5-807 5-88A7 Headstrap .86										27 (6)
10500 1040 2 Gallon 9.40 7 (1)						10401	1031-14	Same, with Screen	3.00	21 (0)
5-604 5-504 4" Refl'tr. 1.00 10501 1041 Same, with screen 10.60 7 (1) 5-620 5-62 Felt .03 10700 1050 3 Gallon 9.80 8 (1) 5-630 5-63 Flt. Plate .03 10701 1051 Same, with screen 11.00 8 (1) 5-640 5-64 Flt. Holder .10 10721 1056 Type 2 Can - 3 gal. 22.00 10 (1) 5-650 5-65 Lamp Clip Discontinued 10800 1060 5 Gallon 10.40 9 (1) 5-662 5-662 Rubber Grip .12 10801 1061 Same, with screen 11.60 9 (1) 5-669 5-965 Bottom .80 10809 1068 Laboratory Can 25.00 10 (1) 5-698 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10849 10						10500	1040	2 Gallon	9.40	7 (1)
5-630 5-63 FIt. Plate .03 10701 1051 Same, with screen 11.00 8 (1) 5-640 5-64 FIt. Holder .10 10721 1056 Type 2 Can - 3 gal. 22.00 10 (1) 5-650 5-65 Lamp Clip Discontinued 10800 1060 5 Gallon 10.40 9 (1) 5-662 5-662 Rubber Grip .12 10801 1061 Same, with screen 11.60 9 (1) 5-669 5-965 Bottom .80 10809 1068 Laboratory Can 25.00 10 (1) 5-690 5-190 Cap Spring .04 10820 1065 Type 2 Can - 5 gal. 21.00 12 (1) 5-698 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10849 1068-HT Hot Tinned Lab. Can 34.00 10 (1) 5-802 5-33A2 Bottom 1.50 10849 10862 10S560 Stn'ls. Stl 5 gal. 39.00 9 (1) 5-803 5-33A3 Hose Pins, Per Pr10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86			4" Refl'tr.							
5-640 5-64 Flt. Holder .10 10721 1056 Type 2 Can - 3 gal. 22.00 10 (1) 5-650 5-65 Lamp Clip Discontinued										
5-650 5-65 Lamp Clip Discontinued 10800 1060 5 Gallon 10.40 9 (1) 5-662 5-662 Rubber Grip .12 10801 1061 Same, with screen 11.60 9 (1) 5-669 5-965 Bottom .80 10809 1068 Laboratory Can 25.00 10 (1) 5-690 5-190 Cap Spring .04 10820 1065 Type 2 Can - 5 gal. 21.00 12 (1) 5-698 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10849 1068-HT Hot Tinned Lab. Can 34.00 10 (1) 5-802 5-33A2 Bottom 1.50 10862 10SS60 Stn'ls. Stl 5 gal. 39.00 9 (1) 5-803 5-33A3 Hose Pins, Per Pr10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)										
10800 1060 5 Gallon 10.40 9 (1)					d	10/21		. Jpo L Juli - J gai.	22.00	10 (1)
5-669 5-965 Bottom .80 10809 1068 Laboratory Can 25.00 10 (1) 5-690 5-190 Cap Spring .04 10820 1065 Type 2 Can - 5 gal. 21.00 12 (1) 5-698 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10849 1068-HT Hot Tinned Lab. Can 34.00 10 (1) 5-802 5-33A2 Bottom 1.50 10862 10SS60 Stn'ls. Stl 5 gal. 39.00 9 (1) 5-803 5-33A3 Hose Pins, Per Pr. .10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>										
5-690 5-190 Cap Spring .04 10820 1065 Type 2 Can - 5 gal. 21.00 12 (1) 5-698 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10849 1068-HT Hot Tinned Lab. Can 34.00 10 (1) 5-802 5-33A2 Bottom 1.50 10862 10S60 Stn'ls. Stl 5 gal. 39.00 9 (1) 5-803 5-33A3 Hose Pins, Per Pr. .10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)										
5-698 5-298 Refl. Brace .05 10821 1066 Same, with screen 23.00 12 (1) 5-801 5-33A1 Generator 5.60 10849 1068-HT Hot Tinned Lab. Can 34.00 10 (1) 5-802 5-33A2 Bottom 1.50 10862 10SS60 Stn'ls. Stl 5 gal. 39.00 9 (1) 5-803 5-33A3 Hose Pins, Per Pr. .10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)										
5-801 5-33A1 Generator 5.60 10849 1068-HT Hot Tinned Lab. Can 34.00 10 (1) 5-802 5-33A2 Bottom 1.50 10862 10S60 Stn'ls. Stl 5 gal. 39.00 9 (1) 5-803 5-33A3 Hose Pins, Per Pr. .10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)										
5-803 5-33A3 Hose Pins, Per Pr10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)										
5-803 5-33A3 Hose Pins, Per Pr10 10863 10SS61 Same, with screen 42.75 9 (1) 5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)	E 000	E 2242	Dottom	1.50		10962	100000	Stalle Stl E!	20.00	0 (1)
5-805 5-88A5 3" Lens .12 10869 10SS68 Stn'ls Stl. Lab. Can 52.00 10 (1) 5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)										
5-807 5-88A7 Headstrap .86 10900 New 5 Gal. Imperial Meas. 11.80 10 (1)				.12						
5-808 5-33A8 Rubber Hose .62 10901 New Same - with screen 13.00 10 (1)	5-807	5-88A7	Headstrap	.86		10900	New	5 Gal. Imperial Meas.	11.80	10 (1)
	5-808	5-33A8	Rubber Hose	.62		10901	New	Same - with screen	13.00	10 (1)

JUSTRITE PRICE LIST NO. 590

(JUSTRITE CATALOG NUMBERS NOT SHOWN HERE WILL BE FOUND ON BACK PAGE)

New Cat. No.	Old Cat. No.	Description	List Ship. Wt. & Price Quan. () of Ea. Std. Pack	New Cat. No.	Old Cat. No.	Description	List Price Ea.	Quan.	Wt. & () of Pack
Parts a	nd Acco	essories for Safety	Cane	1904-2	1994	Headlamp	2.95	6#	(12)
raits a	IIU ACCE	sources for safety	Valla	1904-4	1904	Headlight	4.95		(12)
11001	10-P-1	Cover Assembly	1.00	1911-2	1911-2	Headlamp	3.50		(12)
11002	10-P-2	Leather Washer	.20	1911-4	New	Headlight	5.50		(12)
11004	10-P-4	Cover Spring	.20	1983-1	1983	Dualite, 3 cl.	6.95		(12)
11007	10-P-7	Lever—½ & 1 gal. cans		1989-1	1995	Dualite, 5 cl.	8.95	26	(12)
11011	10-P-11	Handle, 2, 3 & 5 gal. c	ans .70	Parts and	Accessories (Nos. 20011 thru 20673) For Li	ohte are li	etad	
11021	10-P-21	Cover Assembly	.65		d on Page 3.	103. 20011 tilla 20073) Tol El	giits are ii	Steu	
11021	10-P-22	Leather Washer	.15						
11024	10-P-24	Cover Spring	.20	INDIIS	TRIAL an	d RAILROAD LANTI	FRNS		
11027	10-P-27	Operating Lever	.30	IIIDUS	INIAL all	IN MAILMOND LANTI	LINITO		
11035	10-P-35	Air Vent	1.00	2105-4	New	"Light Stick", 21/2" Refl.	5.95	10	(12)
				2105-6	New	Same, Bell System only	5.95	10	(12)
11072	10-7-22	Screen set—Type 2	2.00	2106-4	New	"Lt. Stick", 23/4" Refl.	P.O.R.	-	41.01
11077	10-21-22	Hose—Type 2 Cans	2.40	2107-6	2107-T	Belt Light	4.95	17	(12)
11088 11096	1088 New	Hose Attach Type 1 Stn'ls. Stl. Screen	3.80 3.20	2108-6 2219-2	2108-T New	Hand Light, 2½" Refl. Hand Light, 3" Refl.	4.75 5.95		(12)
11090	New	Stn'ls. Stl. Screen	3.75	2121-1	2121	Inspectors Lantern	8.95	24	(12)
11007	To particular	oth to. oth. ouroun	34.4	2131-1	2131	Inspectors Lantern	7.50		(12)
11098	1098	Screen—Cad. Plate	1.00	2131-2	New	Same, Clear Lens	7.50		(12)
11099	1099	Screen—Cad. Plate	1.20	2140-1	2140	Trainmans Lantern	5.80	21	(12)
11150	10-A-50	Pan—Plunger Can	1.30	2140-3	2140-W	Same, With Lens	6.40		(12)
11151	10-A-51	Adjusting Nut	.15	2140-5	2140-LR	Same, with red Fres. Lens	7.95		(12)
11152	10-A-52	Plunger Spring	.10	2141-2	New	Trainmans Lantern	5.80		(12)
				2142-6 2151-1	2142-W New	Industrial Lantern Twin-Bulb "Light Stick"	7.45 P.O.R.		(12)
11157	10-A-57	Plunger Spring	.15	2155-1	New	Pocket Light, Less Batt.	2.25	=	
11270	10-FM9	Safety Faucet	9.00	2155-2	New	Pocket Light, With Batt.	2.70	_	
				2172-1	2172	Flagmn. Ltn., Less Globe	7.35	21	(12)
LEAK D	ETECTO	RS		2172-2	2172-R	Flagmn. Ltn., & Red Globe	9.95	28	(12)
		AND THE RESERVE		2172-3	2172-Y	Flagmn. Ltn., & Yel. Globe			(12)
12360	1236	Detector	13.50 2#(1)	2172-4	2172-G	Figmn. Ltn. & Green Globe	9.95		(12)
12463	12-1463	Flame Ring	.30	2172-5 2172-6	2172-B 2172-W	Figmn. Ltn. & Blue Globe Figmn. Ltn. & White Globe	9.95	28 28	(12) (12)
12473 12404	12-S-6 12-S-4	Handle Base	1.50 1.40	21/2-0	7117-44	Figinii. Ltii. & Willte Globe	5.00	20	(12)
12404	12-S-7	Valve	1.20	CENIE	DAL DUDE	OCE LANTEDNO			
12497	12-S-33	Cleaner	.10	GENE	KAL PUKI	POSE LANTERNS			
12498	12-S-31	Burner Tip	.35	2208-1	2108	8-Cell Fishit, 21/2" Refl.	3.95	17	(12)
图 图				2209-1	2209	Yellow-Flash Sear.	5.95		(12)
FIRE EXTIN	IGUISHERS								
IIISTDITE E	IDE EYTING	UISHERS HAVE BEEN DISCO	NTINUED AN FOLLIVALENT	2298-1	2198	8-Cell Twin-Bulb Lant.	5.95	26	(12)
		ARTS FOR JUSTRITE EXTING		2299-0	New	Fishermans Lantern	4.95	18	(12)
		SHER CO., GRAND RAPIDS,							
		the figure and		2301-3	New	"Light House" Warn. Lt.	4.25		(12)
CAELTY	and CI	DECIMI LICUTE		2305-1	2305 Nov	V-6 Searchlight	4.75		(12)
SAFEIT	and 31	PECIAL LIGHTS		2305-4	New	V-6 Red Warn. Lt.	5.25	12	(12)
1704-8	1904-S	Headlight	9.95 14 (12)	2401-4	New	"Pendragon" Seal. Bm.	22.95	31/	(1)
1708-8	1958-S	Headlight	Discontinued	2401-4	New	Same, with connection	25.95	3½ 3½	
1717-8	1717-S	Flashlight	5.75 7 (12)	21010		came, with connection	20.00	0/2	(-/
1725-7	2125	Beach Landing Ltn.	P.O.R. —	2404-3	New	"Pendragon", 2-Fm. Bulb	23.95	31/4	(1)
1729-8 15		Extn. Light, 15"	17.95 15 (12)	2404-5	New	Same, with Connection	25.95	31/2	
1729-8 30		Extn. Light, 30"	19.95 18 (12)	2411-1	New	"Interceptor" Lantern	7.95		(1)
1729-8 SL	17.4	Extn. Light, Spl. Lgth.	P.O.R. —	2411-6	New	"Interceptor" Lantern	8.95	11/2	
1730-7 1730-9	17-A 17N30	Penlight Penlight	P.O.R. — P.O.R. —	2434-3	New	"Saddle-Light" 3" Refl.	P.O.R.	- I	
1739-7	New	Helicopter Lt.	P.O.R. — P.O.R. —	2434-4	New	"Saddle-Light" 41/2"	P.O.R.	-	
1740-7	1,011	Truck Ltn.	P.O.R. —	2434-6	New	"Saddle-Light" Seal. Bm.	P.O.R.	-	
1740-8		Truck Ltn.	P.O.R. —	D .					
1744-7	2144-SB	Brass Ltn.	18.00 28 (12)	Parts	and Acce	ssories for Electric	Lights		
1744-8	2144-S	Safety Ltn.	8.95 27 (12)						(10)
1746-8	2146-S	Flashr. Ltn.	10.00 27 (12)	20011 20012	17-1101 New	Battery, AA "Energizer", Size D. Batty.	.22	2	(12)
1788-8	2188-S	Hand Light	10.95 19 (12)	20012	20B14	Battery, D	.82	9	(48)
				20017	20B7	Battery, Lant.	1.32		(12)
ELECTR	IC HEAL	DLIGHTS		20019	New	Double-6, 6V. Batty.	2.76	-	\/
10-1 2				20022	New	4 Volt Storage Btty.	P.O.R.		
1903-2	1996	Headlamp	4.30 8 (12)	20023	New	6 Volt Storage Btty.	P.O.R.		
1903-5	1958-T	Industrial Headl't.	6.25 18 (12)	20025	New	Nickel-Cad. Btty., 4.8V	P.O.R.		
1903-6	1958	Headlight	5.95 18 (12)	20026	New	Nickel-Cad. Btty., 6.0V	P.O.R.		
		PRICE	S SUBJECT TO CH	ANGE	WITHOUT	NOTICE			

JUSTRITE PRICE LIST NO. 590

(PARTS AND ACCESSORIES FOR ELECTRIC LIGHTS - CONT.)

New	Old	amot I	List	New	Old		List
Cat. No.	Cat. No.	Description	Price Ea.	Cat. No.	Cat. No.	Description	Price Ea.
20031	19-B2	Btty. Case	2.00	20326	20-A15	Retain. Wire	.15
20034	19-B3	Contact Pl.	.20	20329	21-N-73	Extender, 3/4"	.50
20037	New	Plastic Pouch	P.O.R.	20332	21-A14L	Extender, 1/2"	.40
20040	21-A95	Bottom	.80	20354	21-F29W	Gl. Cover, Fr., Wh.	1.00
20046	20-B86	Cover	.80	20357	21-F29R	Gl. Cover, Fr., Rd.	2.00
20049	21-A40	Cover	1.00	20360	21-A20	Lucite Cover	.50
20052	20-F80	Cover	.80	20363	21-A21	Lucite Cover, Red	.90
20058 20061	21-A41 21-A31	Cover Latch Assy.	.30 .15	20372 20373	New New	Blb. Cover, Red Blb. Cover, Yellow	.20
20063	20-F81	Contact Pl.	.60	20374	New	Blb. Cover, Green	.20
20067	21-A43	Bottom Assy.	.75	20375	New	Blb. Cover, Blue	.20
20070	21-A35	Case Sides	1.40	20382	2010-12	Fr. Globe, Red	2.64
20073	20-A13	Wire Seals, Pkg.	1.00	20383	2010-13	Fr. Globe, Yellow	2.64
20076	21-A44	Lever	.10	20384	2010-14	Fr. Globe, Green	2.64
20078 20079	New	6-Volt Plate, 2401 & 04	1.50 2.00	20385	2010-15 2010-11	Fr. Globe, Blue	2.64
20073	New New	Insulator Pl. Cont. Plate, 2401-5	1.60	20391	21-A24	Fr. Globe, Clear Gasket, 31/8"	.05
20082	New	Cover	1.80	20394	20-N74	Gasket, 2-13/16"	.08
20099	New	Flasher Bulb, 407	.27	20397	21-A25	Clips for Cover (3)	.20
20111	21-A71	Stand, Round	.40	20400	20-N75	Clamp for 2172	.40
20117	21-A74	Stand, Lng. Rnd.	.60	20421	1704	Lens, 2½"	.10
20120 20123	21-A73 21-A54	Fixed Guard	1.00	20424 20427	1703	Pl. Lens, 2½"	.20
20125	New New	Stand, Movabl. Stand for 2121, 2131	1.00 1.00	20430	1716 20-04R	Honeycomb Lns. Red Disc.	.20
20129	21-A75	Rivets, doz.	.20	20433	20-04	Discs—other clrs.	.20
20132	21-A48	Bolts, Washers	.40	20441	2292	Lens, 23/4"	.10
20135	New	Light Shield	3.00	20447	New	Honeycomb Lns.	.30
20141	21-A46	Handle, Lg.	1.00	20450	20-07R	Red Disc, 23/4"	.12
20147 20150	21-A45 21-A65	Parts for Handl. Wire Bail	.40 .10	20453 20461	New 19-F4	Discs, other clrs. Lens, 3"	.20
20153	21-A51	Handle	1.00	20467	New	Honeycomb Lns.	.25
20156	New	Lanyard for Penlight	.40	20470	New	Red Disc., 3"	.30
20164	20-B10	Cord, 18 ga.	.40	20473	New	Discs, other clrs.	.40
20167	20-F20	Cord, "SJ"	.80	20481	New	Lens, 33/4"	.20
20170	New	Headband	.30	20487	New	Lens, 4½"	.40
20173 20179	20-B11 20-B12	Headband Head Pad	.45 .10	20490 20493	New New	Plastic Lns., 4½" Honeycomb Lns.	1.00
20182	19-B7	Hook	.20	20496	New	Discs, spy. color	.40
20194	21-A57	Bracket	.80	20501	21-A90	Cylindrical Lns.	.50
20197	21-A60	Holder	1.00	20503	21-A91	Lining, Spy. colr.	.10
20200	21-A62	Holder	.60	20521	New	Ret. Wire, 2½"	.05
20203 20204	21-A77 21-A79	Holder Spring Arm	1.00	20524 20530	1705 19-F5	Saft. Ret. Wire Ret. Wire, 3"	.05
20206	21-A78	Holder	1.40	20551	20-F78	Ring. 21/2"	.25
20209	21-H30	Holder	P.O.R.	20554	20-F78S	Ring Assy., Saft.	.60
20213	New	Bracket for 2401-2404	4.80	20557	New	Ring, 23/4"	.10
20214	New	Same, Padlock type	5.40	20560	19-F6	Ring, 3"	.30
20221 20224	17-1102 New	Bulb 222 Pkg. Bulb, No. 243 Pkg.	1.70 1.70	20563 20566	New 20-34	Ring, 4½" Collar, 2½"	.30
20227	New	Bulb PR 7 Pkg.	2.00	20569	New	Collar, 3"	.30
20230	New	Bulb PR 3 Pkg.	2.00	20581	21-A42	Refl., 3½"	.35
20233	New	Bulb 13 Pkg.	1.70	20584	New	Spl. Refl.	.50
20236	1701	Bulb 365 Pkg.	1.70	20587	21-N70	Refl., 31/4"	.80
20239	New	Bulb PR 17 Pkg.	2.00	20590	21-A30	Refl., 7"	2.00
20242 20245	20-A6 20-A1	Bulb PR 13 Pkg. Bulb 502 Pkg.	2.00 1.70	20593 20596	21-A27 21-A26	Screws (3) Screws (3)	.30
20248	20-A2	Bulb 27 Pkg.	1.70	20611	20-F57	Refl., Sfty. 2½"	.60
20250	New	Bulb, No. 1403 Pkg.	2.50	20614	1707	Refl., 1717-8	.60
20251	20-A5	Bulb No. 425 Pkg.	1.70	20617	20-F79	Refl., 21/2"	.30
20254	20-All	SI. Beam 4546	2.50	20620	New	Refl., 23/4"	.45
20257 20263	New	SI. Beam 4547 Bulb 1553 Pkg.	2.85 12.50	20625	New	Refl., 3", for 2131	.65
20264	New	Bulb 1554 Pkg.	12.50	20626	19-F7	Refl., 3"	.70
20271	New	Bulb PR 12 Pkg.	2.00	20628 20631	New	4½" Reflector	2.40
20274	New	Bulb 31 Pkg.	2.00	20634	New New	D.C. Socket, 2404 Spl. Refl. 2404	1.00 2.20
20277	20-05	Bulb 605 Pkg.	1.70	20635	New	Cup & Spring	.20
20293	20-A7	Bulb 993 Pkg.	5.00	20638	New	Cup & Socket	.20
20295 20099	20-A9 New	Bulb 965 Pkg. Flash. Bulb, 407 Pkg.	2.50 2.70	20644	New	Pl. Sld. Refl., 43/8"	2.60
20333	21-A36	Socket Slide	1.00	20661	1709	Switch	.25
20314	21-A38	Socket Slide	1.00	20664	1710	Cont. Spring	.10
20317	21-A37	Socket Slide	1.00	20667	1715	Bottom Cover	.60
20320	21-N29	Socket Slide	1.20	20670	17E20	Blb. Protector	.10
20323	1702	Retain. Wire	.10	20673	1719	Assy. 1729-8	1.80

CONVERSION LIST OF OLD CATALOG NUMBERS

SHOWING CURRENT EQUIVALENTS FOR NUMBERS FORMERLY USED

Catalog	Current	Former	Current	Former	Current
Outeriop	Number or	Catalog	Number or	Catalog	Number or
Number	Replacement	Number	Replacement	Number	Replacement
USTRITE CARBIDE L	AMPS	1082	10208	44-SN	1744-7
IOSIKITE CARDIDE L	AWITS	1083	10308	51-W	1744-8
2 500	2-500	1088	11088	31-44	17410
2-50D		1098		2101	2208-1
2-50E	2-501		11098		Replaced by No. 2209-
2-55A	Discontinued	1099	11099	2103	
2-56E	2-561	10-FM9	11270	2104	Replaced by No. 2305
2-57E	2-571	10SS10	10162	2104-R	2305-4
2-88B	2-888	10SS11	10163	2107-T	2107-6
2-335	Discontinued	10SS30	10362	2108	2208-1
2-375	Replaced by No. 2-571	10SS31	10363	2108-T	2108-6
2-810R	2-810	10SS60	10862	2108-U	2208-1
2-830R	Replaced by No. 2-840	108861	10863	2111	Replaced by No. 2131-
2-840R	2-840	10\$\$68	10869	2111-Q	Replaced by No. 2131-
2-840W	2-844			2115	Discontinued
-850R	Use No. 2-840 with			2121	2121-1
AUCO-		JUTRITE LEAK DETECTO	R	2125	1725-7
0700	Headstrap No. 5-807			2130-S	1740-8
2-870R	2-870	1236	12360		
				2130-SHB	1740-7
5-22	Replaced by No. 5-037	JUSTRITE FLASHLIGHTS	ETC.	2134-1	Discontinued
-23	Discontinued	TO TENOTICION		2137	See No. 1739-7
5-37	5-037	17-A	1730-7	2138	See No. 1739-7
5-77	Discontinued			2139	1739-7
5-170	Replaced by No. 5-172	17-S	1717-8	2140	2140-1
5-243	Replaced by No. 5-244	17N30	1730-9	2140-2	2140-1
		17J31	1730-9	2140-LR	2140-5
5-868	Replaced by No. 5-867	1704-7	Replaced by No. 1704-8	2140-LW	2140-3
		1717-S	1717-8	2140-P	2140-1
USTRITE OILY WAST	TE CANS	1727-S-15	1729-8 (15")	2140-W	2140-3
		1727-S-30	1729-8 (30")		
-1	9-100	1727-S-*	1729-8 (Spl. Lengths)	2142-W	2142-6
)-1A	9-110	1727-8	1729-8 (15")	2144-S	1744-8
9-2	Replaced by No. 9-300	1728-8		2144-SB	1744-7
)-3	9-300		1729-8 (30")	2146-S	1746-8
9-3A	9-310	1731-7	1730-9	2147-6	Discontinued
	9-500	1737-7	See No. 1739-7	2150	Replaced by No. 2141-2
9-5		1738-7	See No. 1739-7	2158-6	1903-5
9-5A	Discontinued			2172	2172-1 (When Lens is re-
9-7	9-700	JUSTRITE ELECTRIC HE	ADI IGHTS	21/2	quired please specify colo
9-7A	9-710	JOSTKITE ELECTRIC IIE	ADEIGITIS		quired please specify colo
9-9A	9-910	32-N	1904-4	2188-S	1700 0
					1788-8
USTRITE SAFETY CA	INS	83-AC	1983-1	2190	Order No. 2301-3 with
					No. 20501 Lens and
1000	10000	1904	1904-4		Bulb No. 27.
1001	10001	1904-S	1704-8	2191	Order No. 2301-3 with
1010	10100	1904-SB	Replaced by No. 1704-8		No. 20501 Lens and
011	10101	1911-1	1911-2		Bulb No. 27
1020	10200	1911-6	Discontinued	2192	2301-3
1021	10201	1955	1903-5	2192-A	Replaced by No. 2301-3
		1958	1903-6	2198	2298-1
1030	10300	1958-S	Discontinued	2198-L	Replaced by No. 2142-6
000 14	10400	1958-T	1903-5	21WW	Discontinued
			1983-1	211111	Discontinued
.031	10301	1983			
.031 .031-M	10301 10401	1983			
031 031-M	10301	1987	Replaced by No.1989-1	2209	2209-1
031 .031-M .040	10301 10401	1987 1989	Replaced by No.1989-1 1989-1	2209-2	2209-1 Replaced by No. 2209-1
031 031-M 040 041	10301 10401 10500	1987 1989 1994	Replaced by No.1989-1 1989-1 1904-2		
031 031-M 040 041 045	10301 10401 10500 10501	1987 1989 1994 1995	Replaced by No.1989-1 1989-1 1904-2 1989-1	2209-2	Replaced by No. 2209-1
031 031-M 040 041 045 046	10301 10401 10500 10501 Discontinued Discontinued	1987 1989 1994	Replaced by No.1989-1 1989-1 1904-2	2209-2	Replaced by No. 2209-1 Order No. 2301-3 with
1031 1031-M 1040 1041 1045 1046	10301 10401 10500 10501 Discontinued Discontinued 10700	1987 1989 1994 1995	Replaced by No.1989-1 1989-1 1904-2 1989-1	2209-2 2302-1	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27
1031 1031-M 1040 1041 1045 1046 1050	10301 10401 10500 10501 Discontinued Discontinued 10700 10701	1987 1989 1994 1995 1996	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2	2209-2 2302-1 2302-4	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3
.031 .031-M .040 .041 .045 .046 .050 .051	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721	1987 1989 1994 1995	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2	2209-2 2302-1 2302-4 2305	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1
031 031-M 040 041 045 046 050 051 055	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2	2209-2 2302-1 2302-4 2305 2305-2	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1 Replaced by No. 2305-1
031 031-M 040 041 045 046 050 051 055 056	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721 10721	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2 NTERNS	2209-2 2302-1 2302-4 2305	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1
031 031-M 040 041 045 046 050 051 055 056 060	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2	2209-2 2302-1 2302-4 2305 2305-2	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1 Replaced by No. 2305-1
031 031-M 040 041 045 046 050 051 055 056 060 061	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721 10721	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2 NTERNS	2209-2 2302-1 2302-4 2305 2305-2	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1 Replaced by No. 2305-1
1031 1031-M 1040 1041 1045 1046 1050 1051 1055 1056 1060 1061	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721 10721 10800 10801	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI 40 40W	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2 NTERNS 2140-1 2140-3 Order No. 2140-3 with	2209-2 2302-1 2302-4 2305 2305-2 2306-2 2401-1	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1 Replaced by No. 2305-1 Discontinued
1030-M 1031 1031-M 1040 1041 1045 1050 1051 1055 1066 1061 1065	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721 10721 10800 10801 10820 10821	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI 40 40W 40R	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2 NTERNS 2140-1 2140-3 Order No. 2140-3 with No. 20363 Red Globe	2209-2 2302-1 2302-4 2305 2305-2 2306-2 2401-1 2402-5	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1 Replaced by No. 2305-1 Discontinued Replaced by No. 2401-4 Replaced by No. 2404-3
1031 1031-M 1040 1041 1045 1046 1050 1051 1055 1066 1061 1065	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721 10800 10801 10820 10821 10809	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI 40 40W 40R	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2 NTERNS 2140-1 2140-3 Order No. 2140-3 with No. 20363 Red Globe 2142-6	2209-2 2302-1 2302-4 2305 2305-2 2306-2 2401-1 2402-5 2404-1	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1 Replaced by No. 2305-1 Discontinued Replaced by No. 2401-4 Replaced by No. 2404-3 2404-3
1031 1031-M 1040 1041 1045 1046 1050 1051 1055 1066 1061 1065	10301 10401 10500 10501 Discontinued Discontinued 10700 10701 Replaced by No. 10721 10721 10800 10801 10820 10821	1987 1989 1994 1995 1996 JUSTRITE ELECTRIC LAI 40 40W 40R	Replaced by No.1989-1 1989-1 1904-2 1989-1 1903-2 NTERNS 2140-1 2140-3 Order No. 2140-3 with No. 20363 Red Globe	2209-2 2302-1 2302-4 2305 2305-2 2306-2 2401-1 2402-5	Replaced by No. 2209-1 Order No. 2301-3 with No. 20501 Lens and Bulb No. 27 2301-3 2305-1 Replaced by No. 2305-1 Discontinued Replaced by No. 2401-4 Replaced by No. 2404-3